

Product datasheet

Anti-Cortisol Binding Globulin antibody [EPR4615] ab110648

重组 RabMAb

1 图像

概述

产品名称	Anti-Cortisol Binding Globulin抗体[EPR4615]
描述	兔单克隆抗体[EPR4615] to Cortisol Binding Globulin
经测试应用	适用于: WB 不适用于: ICC,IHC-P or IP
种属反应性	与反应: Human
免疫原	A synthetic peptide corresponding to residues in Human Cortisol Binding Globulin.
阳性对照	Human fetal artery, plasma and placenta lysates
常规说明	This product is a recombinant rabbit monoclonal antibody. Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with these species. Please contact us for more information. Our RabMAb [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.
存储溶液	PBS 49%,Sodium azide 0.01%,Glycerol 50%,BSA 0.05%
纯度	Tissue culture supernatant
克隆	单克隆
克隆编号	EPR4615
同种型	IgG


应用

Our [Abpromise guarantee](#) covers the use of **ab110648** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用	Ab评论	说明
WB		1/1000 - 1/10000. Detects a band of approximately 60 kDa (predicted molecular weight: 45 kDa).
应用说明		Is unsuitable for ICC,IHC-P or IP.
靶标		
功能		Major transport protein for glucocorticoids and progestins in the blood of almost all vertebrate species.
组织特异性		Plasma; synthesized in liver. Has also been identified in a number of glycocorticoid responsive cells.
疾病相关		Defects in SERPINA6 are a cause of corticosteroid-binding globulin deficiency (CBG deficiency) [MIM:611489]. CBG deficiency is an extremely rare hereditary disorder characterized by reduced corticosteroid-binding capacity with normal or low plasma corticosteroid-binding globulin concentration, and normal or low basal cortisol levels associated with hypo/hypertension and muscle fatigue.
序列相似性		Belongs to the serpin family.
翻译后修饰		N-glycosylated; binds 5 oligosaccharide chains. Glycosylation in position Asn-260 is needed for steroid binding.
细胞定位		Secreted.

图片



All lanes : Anti-Cortisol Binding Globulin antibody [EPR4615] (ab110648) at 1/1000 dilution

Lane 1 : Human fetal artery lysate

Lane 2 : Human plasma lysate

Lane 3 : Human placenta lysate

Lysates/proteins at 10 µg per lane.

Secondary

HRP labelled goat anti-rabbit at 1/2000 dilution

Predicted band size : 45 kDa

Observed band size : 60 kDa

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors