abcam

Product datasheet

# Donkey anti-Rat IgG H&L (PE) ab7008

1 Abreviews 2 图像

## 概述

| | |
|---|---|
| **产品名称** | 驴抗大鼠IgG H&L (PE) |
| **宿主** | Donkey |
| **靶标种属** | Rat |
| **经测试应用** | **适用于:** ICC/IF, Immunomicroscopy, Flow Cyt, IHC-P, IHC-Fr |
| **最小交叉反应** | Chicken, Cow, Goat, Guinea pig, Hamster, Horse, Human, Mouse, Rabbit, Sheep **more details** |
| **免疫原** | Rat IgG whole molecule |
| **偶联物** | PE. Ex: 488nm, Em: 575nm |

## 性能

| | |
|---|---|
| **形式** | Liquid |
| **存放说明** | Shipped at 4°C. Store at +4°C. |
| **存储溶液** | pH: 6.50<br>Preservative: 0.01% Sodium azide<br>Constituents: 0.878% Sodium chloride, 1% BSA, 0.424% Tripotassium orthophosphate |
| **纯度** | Immunogen affinity purified |
| **纯化说明** | Prepared from monospecific antiserum by immunoaffinity chromatography using rat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation |
| **共轭说明** | R-Phycoerythrin (R-PE) Molecular Weight 240,000 daltons) Absorption Wavelength: 488 nm Emission Wavelength: 575 nm $OD_{566nm}/OD_{280nm}$: 2.8 |
| **克隆** | **多克隆** |
| **常规说明** | Can be used in immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity. |

## 应用

**The Abpromise guarantee** **Abpromise™承诺保证使用ab7008于以下的经测试应用**

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

| 应用 | Ab评论 | 说明 |
|---|---|---|
| **ICC/IF** | ★★★★☆ (1) | 1/100 - 1/250. |
| **Immunomicroscopy** | | 1/50 - 1/200. |
| **Flow Cyt** | | 1/100 - 1/250.<br>The maximum amount of reagent required to stain 1 x $10^6$ cells in flow cytometry is approximately 1.0 ug of antibody conjugate. Lesser amounts of reagent may be sufficient for staining. |
| **IHC-P** | | 1/50 - 1/200. |
| **IHC-Fr** | | 1/50 - 1/200. |

## 图片




Immunocytochemsity/Immunofluorescence analysis of lung tissue using Donkey anti-rabbit IgG H&L (PE) secondary antibody (ab7008).

Immunocytochemistry/ Immunofluorescence - Donkey anti-Rat IgG H&L (PE) (ab7008)

This image is courtesy of an anonymous Abreview




Flow Cytometry - Donkey anti-Rat IgG H&L (PE) (ab7008)

ab7008 was used with the primary antibody **ab19765** in Flow Cyt.

See Abreview on **ab19765**.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit **https://www.abcam.cn/abpromise** or contact our technical team.

## Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors