



Not yet tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

## 靶标

---

### 相关性

*Escherichia coli* are Gram negative bacterium that are commonly found in the lower intestine of warm-blooded organisms (endotherms). Their serological types are determined in combination with somatic antigens (O group: O1-O173) and flagella antigens (H type: H1-H56). The *E. coli* that cause intestinal infectious diseases including diarrhea, acute gastritis or colitis are referred to as pathogenic *E. coli*, which are classified into the following 4 groups according to differences in the mode of pathogenicity; enteropathogenic *E. coli* (EPEC), enteroinvasive *E. coli* (EIEC), enterotoxigenic *E. coli* (ETEC) and enterohemorrhagic *E. coli* (EHEC). Although the identification of pathogenic *E. coli* requires verification of their pathogenicity, pathogenic *E. coli* often have specific serotypes; therefore, typing of the serogroup and serotype is necessary in screening pathogenic *E. coli*.

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.cn/abpromise> or contact our technical team.

### Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors