


Product datasheet

Anti-FOXG1 antibody [mAbcam 51774] ab51774

2 图像

概述

<b>产品名称</b>	Anti-FOXG1 抗体[mAbcam 51774]
<b>描述</b>	小鼠单克隆抗体[mAbcam 51774] to FOXG1
<b>经测试应用</b>	<b>适用于:</b> WB, Flow Cyt
<b>种属反应性</b>	<b>与反应:</b> Human <b>预测可用于:</b> Rat, Chicken, Cow, Zebrafish 
<b>免疫原</b>	Synthetic peptide within Human FOXG1 aa 400 to the C-terminus conjugated to keyhole limpet haemocyanin. The exact sequence is proprietary. Peptide available as <a href="#">ab19644</a> . Database link: <a href="#">P55316</a> (Peptide available as <a href="#">ab19644</a> )
<b>阳性对照</b>	This antibody gave a positive signal in human brain tissue lysate ( <a href="#">ab29466</a> ).
<b>常规说明</b>	This antibody clone is manufactured by Abcam. We can conjugate this antibody to FITC for you (please see <a href="#">ab150200</a> for details). If you require this antibody in a particular buffer formulation or a particular conjugate for your experiments, please contact <a href="mailto:orders@abcam.com">orders@abcam.com</a> or you can find further information <a href="#">here</a> .

性能

<b>形式</b>	Liquid
<b>存放说明</b>	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
<b>存储溶液</b>	pH: 7.40 Preservative: 0.02% Sodium azide Constituent: PBS  Some batches contain 0.4M arginine. Please contact Scientific Support for further information.
<b>纯度</b>	IgG fraction
<b>克隆</b>	单克隆
<b>克隆编号</b>	mAbcam 51774
<b>骨髓瘤</b>	Sp2/0
<b>同种型</b>	IgG2a

## 应用

Our [Abpromise guarantee](#) covers the use of **ab51774** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用	Ab评论	说明
WB		Use a concentration of 1 µg/ml. Detects a band of approximately 50 kDa (predicted molecular weight: 50 kDa).
Flow Cyt		Use 0.5-1µg for 10 <sup>6</sup> cells. <a href="#">ab170191</a> -Mouse monoclonal IgG2a, is suitable for use as an isotype control with this antibody.

## 靶标

<b>功能</b>	Transcription repression factor which plays an important role in the establishment of the regional subdivision of the developing brain and in the development of the telencephalon.
<b>组织特异性</b>	Expression is restricted to the neurons of the developing telencephalon.
<b>疾病相关</b>	Defects in FOXC1 are the cause of congenital variant of Rett syndrome (RTTCV) [MIM:613454]. RTTCV is a severe neurodevelopmental disorder with features of classic Rett syndrome but earlier onset in the first months of life. Clinical features include progressive microcephaly, hypotonia, irresponsiveness and irritability in the neonatal period, mental retardation, psychomotor regression and stereotypical movements.
<b>序列相似性</b>	Contains 1 fork-head DNA-binding domain.
<b>细胞定位</b>	Nucleus.

## 图片



Anti-FOXC1 antibody [mAbcam 51774]  
(ab51774) at 5 µg/ml + Human brain tissue  
lysate - total protein ([ab29466](#)) at 10 µg

### Secondary


Rabbit polyclonal to Mouse IgG - H&L (HRP)  
at 1/2000 dilution

Performed under reducing conditions.

**Predicted band size** : 50 kDa

**Observed band size** : 50 kDa

**Additional bands at** : 40 kDa. We are  
unsure as to the identity of these extra bands.



Flow Cytometry - Anti-FOXG1 antibody [mAbcam 51774] (ab51774)

Overlay histogram showing SHSY-5Y cells stained with ab51774 (red line). The cells were fixed with 4% paraformaldehyde (10 min) and then permeabilized with 0.1% PBS-Tween for 20 min. The cells were then incubated in 1x PBS / 10% normal goat serum / 0.3M glycine to block non-specific protein-protein interactions followed by the antibody (ab51774, 1µg/1x10<sup>6</sup> cells) for 30 min at 22°C. The secondary antibody used was DyLight® 488 goat anti-mouse IgG (H+L) (ab96879) at 1/500 dilution for 30 min at 22°C. Isotype control antibody (black line) was mouse IgG2a [ICIGG2A] (ab91361, 1µg/1x10<sup>6</sup> cells) used under the same conditions. Acquisition of >5,000 events was performed.

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.cn/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors