

## Product datasheet

# Anti-Hexokinase 1 antibody ab65069

★★★★★ 5 Abreviews 2 References 4 图像

### 概述

产品名称	Anti-Hexokinase 1 抗体
描述	兔多克隆抗体 to Hexokinase 1
宿主	Rabbit
经测试应用	适用于: ELISA, WB, ICC/IF, IHC-Fr
种属反应性	与反应: Mouse, Rat, Human
免疫原	Synthetic peptide derived from an internal sequence of human Hexokinase 1. [Swiss-Prot P19367]
阳性对照	Extracts from HeLa cells

### 性能

形式	Liquid
存放说明	Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.
存储溶液	Preservative: 0.02% Sodium Azide Constituents: 50% Glycerol, PBS (without Mg <sup>2+</sup> and Ca <sup>2+</sup> ), 150mM Sodium chloride, pH 7.4
纯度	Immunogen affinity purified
克隆	多克隆
同种型	IgG

### 应用

Our [Abpromise guarantee](#) covers the use of **ab65069** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


应用	Ab评论	说明
ELISA		1/20000.
WB	★★★★★	1/500 - 1/1000. Detects a band of approximately 102 kDa (predicted molecular weight: 102 kDa).
ICC/IF	★★★★★	1/250. (see Abreview)

应用	Ab评论	说明
IHC-Fr	★★★★★	1/200 - 1/250. (see Abreviews)

## 靶标

<b>组织特异性</b>	Isoform 2 is erythrocyte specific. Isoform 3 and isoform 4 are testis-specific.
<b>通路</b>	Carbohydrate metabolism; hexose metabolism.
<b>疾病相关</b>	Hexokinase deficiency Neuropathy, hereditary motor and sensory, Russe type
<b>序列相似性</b>	Belongs to the hexokinase family. Contains 2 hexokinase domains.
<b>结构域</b>	The N- and C-terminal halves of this hexokinase show extensive sequence similarity to each other. The catalytic activity is associated with the C-terminus while regulatory function is associated with the N-terminus. Each domain can bind a single glucose and Gluc-6-P molecule.
<b>细胞定位</b>	Mitochondrion outer membrane. Its hydrophobic N-terminal sequence may be involved in membrane binding.

## 图片



**All lanes :** Anti-Hexokinase 1 antibody (ab65069) at 1/500 dilution

**Lane 1 :** extracts from HeLa cells


**Lane 2 :** extracts from HeLa cells with immunizing peptide at 5 µg

Lysates/proteins at 5 µg per lane.

**Predicted band size:** 102 kDa


**Observed band size:** 102 kDa

**Additional bands at:** 60 kDa. We are unsure as to the identity of these extra bands.




Immunohistochemistry (Frozen sections) -  
Hexokinase 1 antibody (ab65069)  
This image is courtesy of an anonymous Abreview

ab65069 staining Hexokinase 1 (green) in Rat brain tissue sections by Immunohistochemistry (IHC-Fr - frozen sections). Tissue was fixed with formaldehyde, permeabilized with 0.1% Triton X-100 and blocked with 5% BSA for 2 hours at 25°C. Samples were incubated with primary antibody (1/250 in PBS-T) for 2 hours at 25°C. An Alexa Fluor®488-conjugated Goat anti-rabbit IgG polyclonal (1/500) was used as the secondary antibody. Nuclei were stained by DAPI (blue).



Immunocytochemistry/ Immunofluorescence -  
Hexokinase 1 antibody (ab65069)  
Image courtesy of an anonymous Abreview.

ab65069 staining Hexokinase 1 in murine bone marrow leukocytes by Immunocytochemistry/ Immunofluorescence. The cells were fixed in methanol and then blocked using 5% serum for 2 hours at 25°C. Samples were then incubated with the primary antibody at 1/250 for 16 hours at 4°C. The secondary antibody used was a goat anti-rabbit IgG conjugated to Alexa Fluor® 488 (green) used at a 1/500 dilution. DAPI was used for staining nuclei.



Western blot - Anti-Hexokinase 1 antibody  
(ab65069)

Anti-Hexokinase 1 antibody (ab65069) at  
1/500 dilution + Recombinant human  
Hexokinase 1 protein (ab85918) at 0.1 µg

### Secondary

Goat polyclonal to Rabbit IgG - H&L - Pre-  
Adsorbed (HRP) (ab65484) at 1/5000 dilution

Developed using the ECL technique.

Performed under reducing conditions.

**Predicted band size:** 102 kDa

**Exposure time:** 4 minutes

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.cn/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors