

Product datasheet

Anti-INPP4A antibody [EP3425(2)] ab109622

敲除验证
重组
RabMAb

1 References 3 图像

概述

产品名称	Anti-INPP4A抗体[EP3425(2)]
描述	兔单克隆抗体[EP3425(2)] to INPP4A
宿主	Rabbit
经测试应用	适用于: WB, IHC-P, ICC 不适用于: Flow Cyt or IP
种属反应性	与反应: Mouse, Rat, Human
免疫原	Synthetic peptide within Human INPP4A aa 50-150. The exact sequence is proprietary.
阳性对照	Fetal brain and Jurkat cell lysates. Human brain tissue.
常规说明	

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to [RabMab[®] patents](#)

This product is a recombinant rabbit monoclonal antibody.

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.
存储溶液	pH: 7.20 Preservative: 0.01% Sodium azide Constituents: 50% Glycerol, 49% PBS, 0.05% BSA
纯度	Tissue culture supernatant
克隆	单克隆
克隆编号	EP3425(2)
同种型	IgG

应用

Our [Abpromise guarantee](#) covers the use of **ab109622** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用	Ab评论	说明
WB		1/1000 - 1/10000. Detects a band of approximately 104 kDa (predicted molecular weight: 110 kDa).
IHC-P		1/100 - 1/250. Perform heat mediated antigen retrieval before commencing with IHC staining protocol. (Heat to 98°C, allow to cool for 10-20 minutes)
ICC		1/100 - 1/250.

应用说明 Is unsuitable for Flow Cyt or IP.

靶标


功能 Catalyzes the hydrolysis of the 4-position phosphate of phosphatidylinositol 3,4-bisphosphate, inositol 1,3,4-trisphosphate and inositol 3,4-bisphosphate.

组织特异性 Isoform 1 is expressed in the platelets, MEG-01 megakaryocytes and Jurkat T-cells. Isoform 2 is expressed in the brain.

通路 Signal transduction; phosphatidylinositol signaling pathway.

序列相似性 Belongs to the inositol-3,4-bisphosphate 4-phosphatase family.
Contains 1 C2 domain.

图片



Western blot - Anti-INPP4A antibody [EP3425(2)] (ab109622)

Lane 1: Wild-type HAP1 cell lysate (20 µg)

Lane 2: INPP4A knockout HAP1 cell lysate (20 µg)


Lane 3: Jurkat cell lysate (20 µg)

Lane 4: Human foetal brain tissue lysate (20 µg)

Lanes 1 - 4: Merged signal (red and green).

Green - ab109622 observed at 100 kDa. Red - loading control, ab8245, observed at 37 kDa.

ab109622 was shown to specifically react with INPP4A when INPP4A knockout samples were used, along with additional cross-reactive bands. Wild-type and INPP4A knockout samples were subjected to SDS-PAGE. Ab109622 and ab8245 (loading control to GAPDH) were diluted at 1/500 and 1/10,000 dilution respectively and incubated overnight at 4°C. Blots were developed with Goat anti-Rabbit IgG H&L (IRDye® 800CW) preadsorbed (ab216773) and Goat anti-Rabbit IgG H&L (IRDye® 800CW) preadsorbed (ab216773) secondary antibodies at 1/10000 dilution for 1 hour at room temperature before imaging.



Western blot - Anti-INPP4A antibody [EP3425(2)] (ab109622)

All lanes : Anti-INPP4A antibody [EP3425(2)] (ab109622) at 1/1000 dilution

Lane 1 : Fetal brain lysate

Lane 2 : Jurkat cell lysate


Lysates/proteins at 10 µg per lane.

Secondary

All lanes : HRP-labelled goat anti-rabbit at 1/2000 dilution

Predicted band size: 110 kDa

Observed band size: 104 kDa



ab109622 at 1/100 dilution staining INPP4A in paraffin-embedded Human brain tissue by Immunohistochemistry.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-INPP4A antibody [EP3425(2)] (ab109622)

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors