

Product datasheet

Anti-Integrin alpha V antibody [EPR5583] ab124968

重组 RabMAb

2 References 3 图像

概述


产品名称	Anti-Integrin alpha V抗体[EPR5583]
描述	兔单克隆抗体[EPR5583] to Integrin alpha V
宿主	Rabbit
经测试应用	适用于: WB, Flow Cyt 不适用于: ICC,IHC-P or IP
种属反应性	与反应: Mouse, Rat, Human
免疫原	Synthetic peptide within Human Integrin alpha V aa 1000-1100 (intracellular). The exact sequence is proprietary. Database link: P06756
阳性对照	A549, A431, C6, RAW264.7, PC12, and NIH 3T3 cell lysates; A549 cells.
常规说明	

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to [RabMAb[®] patents](#)

This product is a recombinant rabbit monoclonal antibody.

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid repeated freeze / thaw cycles.
解离常数 (K_D)	K _D = 3.20 x 10 ⁻¹² M



[Learn more about K_D](#)

存储溶液	pH: 7.40 Preservative: 0.01% Sodium azide Constituents: 9% PBS, 40% Glycerol, 0.05% BSA, 50% Tissue culture supernatant
-------------	---

纯度	Tissue culture supernatant
克隆	单克隆
克隆编号	EPR5583
同种型	IgG

应用

Our [Abpromise guarantee](#) covers the use of **ab124968** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用	Ab评论	说明
WB		1/1000 - 1/10000. Detects a band of approximately 25, 150 kDa (predicted molecular weight: 86, 116 kDa).
Flow Cyt		1/10 - 1/100. ab172730 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.

应用说明 Is unsuitable for ICC,IHC-P or IP.


靶标

功能 The alpha-V integrins are receptors for vitronectin, cytotactin, fibronectin, fibrinogen, laminin, matrix metalloproteinase-2, osteopontin, osteomodulin, prothrombin, thrombospondin and vWF. They recognize the sequence R-G-D in a wide array of ligands. In case of HIV-1 infection, the interaction with extracellular viral Tat protein seems to enhance angiogenesis in Kaposi's sarcoma lesions.

序列相似性 Belongs to the integrin alpha chain family.
Contains 7 FG-GAP repeats.

细胞定位 Membrane.

图片



Western blot - Anti-Integrin alpha V antibody [EPR5583] (ab124968)

All lanes : Anti-Integrin alpha V antibody [EPR5583] (ab124968) at 1/1000 dilution

Lane 1 : A549 cell lysates

Lane 2 : A431 cell lysates

Lane 3 : C6 cell lysates

Lane 4 : RAW264.7 cell lysates

Lane 5 : PC12 cell lysates


Lane 6 : NIH 3T3 cell lysates

Lysates/proteins at 10 µg per lane.

Secondary


All lanes : HRP labelled goat anti-rabbit at 1/2000 dilution

Predicted band size: 86, 116 kDa



Flow Cytometry - Anti-Integrin alpha V antibody [EPR5583] (ab124968)

ab124968 at 1/10 dilution staining Integrin alpha V in permeabilized A549 cells by Flow cytometry (red) or a rabbit IgG (negative) (green).



Other - Anti-Integrin alpha V antibody [EPR5583] (ab124968)

Equilibrium dissociation constant (K_D)

Learn more about K_D

[Click here to learn more about \$K_D\$](#)

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors