

Product datasheet

Anti-Myeloperoxidase antibody [2C7] (FITC) ab11729

3 References 1 图像

概述

产品名称	Anti-Myeloperoxidase抗体[2C7] (FITC)
描述	小鼠单克隆抗体[2C7] to Myeloperoxidase (FITC)
偶联物	FITC. Ex: 493nm, Em: 528nm
特异性	ab11729 recognises human myeloperoxidase.
经测试应用	适用于: IHC-Fr, Flow Cyt
种属反应性	与反应: Human
免疫原	Human myeloperoxidase
常规说明	This product should be stored undiluted. Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C.
存储溶液	Preservative: 0.09% Sodium Azide Constituents: 1% BSA, PBS, pH 7.4
纯度	Protein G purified
纯化说明	Purified IgG prepared by affinity chromatography.
克隆	单克隆
克隆编号	2C7
骨髓瘤	x63-Ag8.653
同种型	IgG1

应用

Our [Abpromise guarantee](#) covers the use of **ab11729** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用	Ab 评论	说明
----	-------	----

IHC-Fr Use at an assay dependent concentration.

Flow Cyt 1/1 - 1/10.  
 Use 10 µl of the suggested working dilution to label 10<sup>6</sup> cells in 100 µl. This antibody may be used for the flow cytometric detection of myeloid cells following membrane permeabilisation.  
[ab91356](#) - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.

## 靶标


**功能** Part of the host defense system of polymorphonuclear leukocytes. It is responsible for microbicidal activity against a wide range of organisms. In the stimulated PMN, MPO catalyzes the production of hypohalous acids, primarily hypochlorous acid in physiologic situations, and other toxic intermediates that greatly enhance PMN microbicidal activity.

**疾病相关** Defects in MPO are the cause of myeloperoxidase deficiency (MPD) [MIM:254600]. MPD is an autosomal recessive defect that results in disseminated candidiasis.

**序列相似性** Belongs to the peroxidase family. XPO subfamily.

**细胞定位** Lysosome.

## 图片



Flow Cytometry - Anti-Myeloperoxidase antibody  
 [2C7] (FITC) (ab11729)

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.cn/abpromise> or contact our technical team.

## **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors