

Product datasheet

Anti-PHGDH antibody ab57030

5 References 5 图像

概述

产品名称	Anti-PHGDH抗体
描述	小鼠单克隆抗体to PHGDH
宿主	Mouse
经测试应用	适用于: WB, ICC/IF, IHC-P, Flow Cyt, IP
种属反应性	与反应: Human
免疫原	Recombinant full length protein, corresponding to amino acids 1-534 of Human PHGDH
常规说明	Abcam is committed to meeting high standards of ethical manufacturing and has decided to discontinue this product by June 2019 as it has been generated by the ascites method. We are sorry for any inconvenience this may cause. We would recommend antibody <a href="#">ab211365</a> as a replacement.

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
存储溶液	Preservative: None PBS, pH 7.2
纯度	Protein G purified
克隆	单克隆
同种型	IgG1
轻链类型	kappa

应用

Our [Abpromise guarantee](#) covers the use of **ab57030** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用	Ab评论	说明
WB		Use a concentration of 1 - 5 µg/ml. Predicted molecular weight: 57 kDa.
ICC/IF		Use a concentration of 10 µg/ml.
IHC-P		Use a concentration of 5 µg/ml.
Flow Cyt		Use 1µg for 10 <sup>6</sup> cells. <a href="#">ab170190</a> - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.
IP		Use at an assay dependent concentration.

## 靶标


通路	Amino-acid biosynthesis; L-serine biosynthesis; L-serine from 3-phospho-D-glycerate: step 1/3.
疾病相关	Defects in PHGDH are the cause of phosphoglycerate dehydrogenase deficiency (PHGDH deficiency) [MIM:601815]. It is characterized by congenital microcephaly, psychomotor retardation, and seizures.
序列相似性	Belongs to the D-isomer specific 2-hydroxyacid dehydrogenase family.

## 图片




PHGDH antibody (ab57030) used in immunofluorescence at 1-5ug/ml on HeLa cells.

Immunocytochemistry/ Immunofluorescence - Anti-PHGDH antibody (ab57030)



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-PHGDH antibody (ab57030)

PHGDH antibody (ab57030) used in immunohistochemistry at 5ug/ml on formalin fixed and paraffin embedded human lymph node.



Immunoprecipitation - Anti-PHGDH antibody (ab57030)


PHGDH was immunoprecipitated using 0.5mg Jurkat whole cell extract, 10µg of Mouse monoclonal to PHGDH and 50µl of protein G magnetic beads (+). No antibody was added to the control (-).

The antibody was incubated under agitation with Protein G beads for 10min, Jurkat whole cell extract lysate diluted in RIPA buffer was added to each sample and incubated for a further 10min under agitation.

Proteins were eluted by addition of 40µl SDS loading buffer and incubated for 10min at 70°C; 10µl of each sample was separated on a SDS PAGE gel, transferred to a nitrocellulose membrane, blocked with 5% BSA and probed with ab57030.


Secondary: Goat polyclonal to mouse IgG light chain specific (HRP) at 1/5000 dilution.

Band: 57kDa; PHGDH.



Western blot - Anti-PHGDH antibody (ab57030)

PHGDH antibody (ab57030) at 1ug/ml + Jurkat cell lysate at 25ug/lane.



Flow Cytometry - Anti-PHGDH antibody (ab57030)

Overlay histogram showing HeLa cells stained with ab57030 (red line). The cells were fixed with 80% methanol (5 min) and then permeabilized with 0.1% PBS-Tween for 20 min. The cells were then incubated in 1x PBS / 10% normal goat serum / 0.3M glycine to block non-specific protein-protein interactions followed by the antibody (ab57030, 1 $\mu$ g/1x10<sup>6</sup> cells) for 30 min at 22°C. The secondary antibody used was DyLight® 488 goat anti-mouse IgG (H+L) (ab96879) at 1/500 dilution for 30 min at 22°C. Isotype control antibody (black line) was mouse IgG1 [ICIGG1] (ab91353, 2 $\mu$ g/1x10<sup>6</sup> cells) used under the same conditions. Acquisition of >5,000 events was performed.

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors