abcam

Product datasheet

Anti-Prolactin/PRL antibody, prediluted ab64485

1 图像

概述

产品名称	Anti-Prolactin/PRL**抗体**, prediluted
描述	**兔多克隆抗体**to Prolactin/PRL, prediluted
宿主	Rabbit
经测试应用	**适用于:** IHC-P
种属反应性	**与反应:** Human
免疫原	Full length native protein (purified) corresponding to Human Prolactin/PRL. Database link: **P01236**
阳性对照	IHC: Human pituitary tissue.
常规说明	**This product is FOR RESEARCH USE ONLY. For commercial use, please contact partnerships@abcam.com.** The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing. If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C. Do Not Freeze.
存储溶液	pH: 7.60 Preservative: 0.1% Sodium azide Constituents: Tris buffered saline, 1% BSA
纯度	Immunogen affinity purified
克隆	**多克隆**
同种型	IgG

应用

应用

The Abpromise guarantee **Abpromise™承诺保证使用ab64485于以下的经测试应用**

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-P		

应用说明

IHC-P: Ready to use for 30 min at room temperature. Staining of formalin fixed tissues requires boiling tissue sections in 10mM citrate buffer, pH 6.0 for 10 min followed by cooling at room temperature for 20 min.

Not yet tested in other applications.
Optimal dilutions/concentrations should be determined by the end user.

靶标

相关性

Various hormones are secreted from the anterior pituitary during development and growth. Prolactin is a growth factor secreted by the anterior pituitary that is necessary for the proliferation and differentiation of the mammary glands.

细胞定位

Secreted

图片



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Prolactin/PRL antibody, prediluted (ab64485)

Formalin-fixed, paraffin-embedded human pituitary tissue stained for Prolactin/PRL using ab64485 in immunohistochemical analysis.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit **https://www.abcam.cn/abpromise** or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors