

Product datasheet

Recombinant human WISP3 protein ab50049

概述

产品名称	重组人WISP3蛋白
蛋白长度	Full length protein

描述

性质	Recombinant
来源	Escherichia coli

氨基酸序列

种属	Human
序列	<p>TGPLDTTPEG RPGEVSDAPQ RKQFCHWPCK CPQQKPRCPP GVSLVRDGC CCKICAKQPG EICNEADLCD PHKGLYCDYS VDRPRYETGV CAYLVAVGCE FNQVHYHNGQ VFQPNPLFSC LCVSGAIGCT PLFIPKLAGS HCSGAKGGKK SDQSNCSLEP LLQQLSTSYK TMPAYRNLPL IWKKKCLVQA TKWTPCSRTC GMGISNRVTN ENSNCEMRKE KRLCYIQPCD SNILKTIKIP KGKTCQPTFQ LSKAIEFVFS GCSSTQSYKP TFCGICLDR CCIPNKSAMI TIQFDCPNEG SFKWMLWIT SCVCQRNCRE PGDIFSELKI L</p>

技术指标

Our [Abpromise guarantee](#) covers the use of **ab50049** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

生物活性	Biological Activity : The ED ₅₀ was determined by the dose-dependant proliferation of the MCF-7 cell line. The expected ED ₅₀ for this effect is 0.2-0.3 µg/ml.
------	---

应用	SDS-PAGE Functional Studies
----	--------------------------------

内毒素水平	< 0.100 Eu/µg
-------	---------------

形式	Lyophilised
----	-------------

稳定性和存储

Shipped at 4°C. The lyophilized protein is stable for a few weeks at room temperature. Store at -20°C long term.

This product is an active protein and may elicit a biological response in vivo, handle with caution.

常规信息

功能

Appears to be required for normal postnatal skeletal growth and cartilage homeostasis.

组织特异性

Predominant expression in adult kidney and testis and fetal kidney. Weaker expression found in placenta, ovary, prostate and small intestine. Also expressed in skeletally-derived cells such as synoviocytes and articular cartilage chondrocytes.

疾病相关

Defects in WISP3 are the cause of progressive pseudorheumatoid arthropathy of childhood (PPAC) [MIM:208230]. PPAC is an autosomal recessive disorder characterized by stiffness and swelling of joints, motor weakness and joint contractures. Signs and symptoms of the disease develop typically between three and eight years of age. This progressive disease is a primary disorder of articular cartilage with continued cartilage loss and destructive bone changes with aging.

序列相似性

Belongs to the CCN family.
Contains 1 CTCK (C-terminal cystine knot-like) domain.
Contains 1 IGFBP N-terminal domain.
Contains 1 TSP type-1 domain.

细胞定位

Secreted.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors