


Product datasheet

Anti-SRGAP1 antibody ab76926

★★★★☆ 2 Abreviews 3 图像

概述

产品名称	Anti-SRGAP1抗体
描述	兔多克隆抗体to SRGAP1
宿主	Rabbit
特异性	Does not crossreact with human srGAP2 or human srGAP3
经测试应用	适用于: WB, IP
种属反应性	与反应: Mouse, Human 预测可用于: Horse, Guinea pig, Cow, Dog, Chimpanzee, Rhesus monkey, Gorilla, Chinese hamster, Orangutan, Bat, Elephant 
免疫原	Synthetic peptide corresponding to a region between residue 979 and 1029 of human SRGAP1 (NP_065813.1)
阳性对照	HeLa and 293T whole cell lysates.

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
存储溶液	Preservative: 0.09% Sodium Azide Constituents: 0.1% BSA, Tris buffered saline
纯度	Immunogen affinity purified
纯化说明	ab76926 was affinity purified using an epitope specific to SRGAP1 immobilized on solid support.
克隆	多克隆
同种型	IgG

应用

Our [Abpromise guarantee](#) covers the use of **ab76926** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用	Ab评论	说明
WB	★★★★☆	1/2000 - 1/10000. Predicted molecular weight: 124 kDa.
IP		Use at 2-5 µg/mg of lysate.

靶标

功能

GTPase-activating protein for RhoA and Cdc42 small GTPases. Together with CDC42 seems to be involved in the pathway mediating the repulsive signaling of Robo and Slit proteins in neuronal migration. SLIT2, probably through interaction with ROBO1, increases the interaction of SRGAP1 with ROBO1 and inactivates CDC42.

组织特异性

Expressed in brain, lung, kidney, and testis.


序列相似性

Contains 1 FCH domain.
Contains 1 Rho-GAP domain.
Contains 1 SH3 domain.

结构域

The F-BAR domain mediates oligomerization, binds membranes, and constrains plasma membrane protrusions.

图片



All lanes : Anti-SRGAP1 antibody (ab76926)
at 1/2000 dilution

Lane 1 : COS7 Whole cell lysate

Lane 2 : HEK293H Whole cell lysate

Lane 3 : HEK293H Whole cell lysate
overexpressing human srGAP1

Lane 4 : HEK293H whole cell lysate
overexpressing human srGAP2

Lane 5 : HEK293H whole cell lysate
overexpressing human srGAP3

Lane 6 : HeLa whole cell lysate
overexpressing mouse srGAP2

Lane 7 : Mouse E14 hindbrain lysate

Lysates/proteins at 30 µg per lane.

Secondary

All lanes : Goat polyclonal to Rabbit IgG
Conjugated to HRP at 1/20000 dilution

Developed using the ECL technique.

Performed under reducing conditions.


Predicted band size: 124 kDa

Observed band size: 150 kDa

Additional bands at: 170 kDa (possible
tagged protein)

Exposure time: 5 minutes

Blocking: 5% Milk



All lanes : Anti-SRGAP1 antibody (ab76926)
at 0.04 µg/ml

Lane 1 : HeLa whole cell lysate. at 50 µg

Lane 2 : HeLa whole cell lysate. at 15 µg


Lane 3 : HeLa whole cell lysate. at 5 µg

Lane 4 : 293T whole cell lysate. at 50 µg

Predicted band size: 124 kDa

Observed band size: 150 kDa

Additional bands at: 75 kDa, 80 kDa. We are unsure as to the identity of these extra bands.



ab76926 at 1µg/ml staining SRGAP1 in HeLa whole cell lysate immunoprecipitated using ab76926 at 3µg/mg lysate (1 mg/IP; 20% of IP loaded/lane).

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors