

Product datasheet

Anti-TRAP100 antibody ab21933

1 图像

概述

产品名称	Anti-TRAP100抗体
描述	小鼠多克隆抗体to TRAP100
经测试应用	适用于: WB
种属反应性	与反应: Mouse
免疫原	Fusion protein: EFLLLKLTPLLDKADQRCNCDCTNFLLQECNKQGLLSEVNFASLVGKRTAD RDPQLKSSENANIQPNPGLILRAEPTVTNILKTMADADHSKSPGELLGVLG , corresponding to amino acids 308/407 of Mouse TRAP100.

 [Run BLAST with](#)

 [Run BLAST with](#)

常规说明	Produced from outbred CD1 mice This antibody was raised by a genetic immunization technique. Genetic immunization can be used to generate antibodies by directly delivering antigen-coding DNA into the animal, rather than injecting a protein or peptide (Tang <i>et al.</i> PubMed: 1545867 ; Chambers and Johnston PubMed: 12910245 ; Barry and Johnston PubMed: 9234514). The animal's cells produce the protein, which stimulates the animal's immune system to produce antibodies against that particular protein. A vector coding for a partial fusion protein was used for genetic immunisation of a mouse and the resulting serum was tested in Western blot against an <i>E.coli</i> lysate containing that partial fusion protein. Genetic immunization offers enormous advantages over the traditional protein-based immunization method. DNA is faster, cheaper and easier to produce and can be produced by standard techniques readily amenable to automation. Furthermore, the antibodies generated by genetic immunization are usually of superior quality with regard to specificity, affinity and recognizing the native protein.
-------------	---

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term.
存储溶液	Constituents: 50% Glycerol
纯度	Whole antiserum
Primary antibody说明	This antibody was raised by a genetic immunization technique. Genetic immunization can be

used to generate antibodies by directly delivering antigen-coding DNA into the animal, rather than injecting a protein or peptide (Tang *et al.* [PubMed: 1545867](#); Chambers and Johnston [PubMed: 12910245](#); Barry and Johnston [PubMed: 9234514](#)). The animal's cells produce the protein, which stimulates the animal's immune system to produce antibodies against that particular protein. A vector coding for a partial fusion protein was used for genetic immunisation of a mouse and the resulting serum was tested in Western blot against an *E.coli* lysate containing that partial fusion protein. Genetic immunization offers enormous advantages over the traditional protein-based immunization method. DNA is faster, cheaper and easier to produce and can be produced by standard techniques readily amenable to automation. Furthermore, the antibodies generated by genetic immunization are usually of superior quality with regard to specificity, affinity and recognizing the native protein.

克隆 多克隆
同种型 IgG

应用

Our [Abpromise guarantee](#) covers the use of **ab21933** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用	Ab 评论	说明
WB		1/1000. Predicted molecular weight: 110 kDa. This antibody has been tested in Western blot against an <i>E.coli</i> lysate containing the partial recombinant fusion protein used as an immunogen. We have no data on detection of endogenous protein.

靶标


功能 Component of the Mediator complex, a coactivator involved in the regulated transcription of nearly all RNA polymerase II-dependent genes. Mediator functions as a bridge to convey information from gene-specific regulatory proteins to the basal RNA polymerase II transcription machinery. Mediator is recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold for the assembly of a functional preinitiation complex with RNA polymerase II and the general transcription factors.

组织特异性 Ubiquitous. Abundant in skeletal muscle, heart and placenta.

序列相似性 Belongs to the Mediator complex subunit 24 family.

细胞定位 Nucleus.

图片



Western blot - TRAP100 antibody (ab21933)

All lanes : Anti-TRAP100 antibody (ab21933)
at 1/1000 dilution

Lane 1 : Total protein extract from E. coli with
~50ng to 100ng of a negative control fusion
protein with an irrelevant antigen at 20 ug

Lane 2 : Total protein extract from E. coli with
~50ng to 500ng of the antigen fusion protein at
20 ug

Secondary

Rabbit anti-mouse IgG + IgM, (H+L)
horseradish peroxidase conjugated at 1/5000
dilution

Predicted band size : 110 kDa

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors