

## Product datasheet

# Anti-Tetranectin antibody [10E3] ab36393

## 2 References

### 概述

|              |  |
|--------------|--|
| <b>产品名称</b>  | Anti-Tetranectin抗体[10E3]   |
| <b>描述</b>    | 小鼠单克隆抗体[10E3] to Tetranectin   |
| <b>特异性</b>   | This antibody reacts strongly with Tetranectin monomer. It reacts slightly with Tetranectin trimer in WB.  |
| <b>经测试应用</b> | <b>适用于:</b> WB, ELISA<br><b>不适用于:</b> IHC-Fr or IHC-P  |
| <b>种属反应性</b> | <b>与反应:</b> Human  |
| <b>免疫原</b>   | Tetranectin purified from human citrate plasma and coupled to PPD. Boosted before fusion with recombinant tetranectin produced in E. coli.                 |
| <b>表位</b>    | Amino acids 17-181 of human tetranectin monomer.   |
| <b>常规说明</b>  | In fresh frozen tissues of ovarian cancer this antibody shows no staining for Tetranectin and no staining of paraffin embedded, microwave treated tissues. |

### 性能

|                           |  |
|---------------------------|--|
| <b>形式</b>                 | Liquid   |
| <b>存放说明</b>               | Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.  |
| <b>存储溶液</b>               | Preservative: 15mM Sodium Azide<br>Constituents: 0.5M Sodium chloride, 0.01M PBS, pH 7.4   |
| <b>纯度</b>                 | Protein A purified   |
| <b>Primary antibody说明</b> | In fresh frozen tissues of ovarian cancer this antibody shows no staining for Tetranectin and no staining of paraffin embedded, microwave treated tissues. |
| <b>克隆</b>                 | 单克隆  |
| <b>克隆编号</b>               | 10E3   |
| <b>骨髓瘤</b>                | x63-Ag8.653  |
| <b>同种型</b>                | IgG1   |
| <b>轻链类型</b>               | kappa  |

## 应用

Our **Abpromise guarantee** covers the use of **ab36393** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| 应用    | Ab评论 | 说明  |
|-------|------|---|
| WB    |      | Use at an assay dependent dilution. Predicted molecular weight: 21 kDa. |
| ELISA |      | 1/8000.   |
| 应用说明  |      | Is unsuitable for IHC-Fr or IHC-P.                                      |

## 靶标

|       |  |
|-------|--|
| 功能    | Tetranectin binds to plasminogen and to isolated kringle 4. May be involved in the packaging of molecules destined for exocytosis. |
| 组织特异性 | Found in plasma.   |
| 序列相似性 | Contains 1 C-type lectin domain.   |
| 细胞定位  | Secreted.  |

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.cn/abpromise> or contact our technical team.

## Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors