

Anti-V5 tag antibody ab9137

★★★★★ [3 Abreviews](#) [11 References](#) [1 图像](#)

概述

产品名称	Anti-V5 tag抗体
描述	山羊多克隆抗体to V5 tag
宿主	Goat
特异性	Antibody was verified by ELISA against peptide conjugated to BSA(GKIPNPLLGLDST/BSA).
经测试应用	适用于: WB, ELISA, ICC/IF, ICC
种属反应性	与反应: Species independent
免疫原	Synthetic peptide: GKIPNPLLGLDST (V5) conjugated to KLH.

 [Run BLAST with](#)

 [Run BLAST with](#)

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
存储溶液	pH: 6.8 Preservative: 0.1% Sodium azide
纯度	Immunogen affinity purified
纯化说明	This antibody was affinity purified using the peptide immobilized on solid support. Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.
克隆	多克隆
同种型	unknown

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab9137于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
WB		1/1000 - 1/30000. Can be blocked with V5 tag peptide (ab15829) .
ELISA		Use at an assay dependent concentration. Use at a dilution of: Coating: 1:100 - 1:500 Primary: 1:1000 - 1:30,000.
ICC/IF	★★★★★ (1)	Use at an assay dependent concentration.
ICC		1/200 - 1/2000.

靶标

相关性

The V5 epitope tag is derived from a small epitope (Pk) present on the P and V proteins of the paramyxovirus of simian virus 5 (SV5). The V5 tag is usually used with all 14 amino acids (GKPIPPLLGLDST), although it has also been used with a shorter 9 amino acid sequence (IPNPLLGLD).

图片



All lanes : Anti-V5 tag antibody (ab9137) at 0.04 µg/ml

Lane 1 : E. coli whole cell lysate at 0.2 µg

Lane 2 : E. coli whole cell lysate at 0.1 µg

Lane 3 : E. coli whole cell lysate at 0.05 µg

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors