

Anti-IFI35 antibody [1C9] ab124037

4 图像

概述

产品名称	Anti-IFI35抗体[1C9]
描述	小鼠单克隆抗体[1C9] to IFI35
宿主	Mouse
经测试应用	适用于: WB, IHC-P, Flow Cyt, ICC/IF
种属反应性	与反应: Human
免疫原	Recombinant full length Human IFI35 produced in HEK293T cells (NP_005524).
阳性对照	WB: HEK293T cell lysate transfected with pCMV6-ENTRY IFI35 cDNA IHC-P: Human pancreas tissue ICC/IF: COS7 cells transiently transfected with pCMV6-ENTRY IFI35 Flow Cyt: HEK293T cells transfected with an IFI35 overexpress plasmid
常规说明	Dilute in PBS (pH 7.3) before use. Stable for 12 months from date of receipt.

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid repeated freeze / thaw cycles.
存储溶液	pH: 7.30 Preservative: 0.02% Sodium azide Constituents: 48% PBS, 50% Glycerol, 1% BSA
纯度	Protein A purified
纯化说明	ab124037 was purified from Mouse ascites fluids by affinity chromatography.
克隆	单克隆
克隆编号	1C9
同种型	IgG2a

应用

The Abpromise guarantee **Abpromise™** 承诺保证使用ab124037于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/2000. Predicted molecular weight: 32 kDa.
IHC-P		1/150.
Flow Cyt		1/100. ab170191 - Mouse monoclonal IgG2a, is suitable for use as an isotype control with this antibody.
ICC/IF		1/100.

靶标

功能	Not yet known.
组织特异性	In a wide range of cell types, including fibroblasts, macrophages, and epithelial cells.
序列相似性	Belongs to the NMI family.
细胞定位	Nucleus. Nuclear following IFN treatment.

图片



All lanes : Anti-IFI35 antibody [1C9] (ab124037) at 1/2000 dilution


Lane 1 : HEK293T cell lysate transfected with pCMV6-ENTRY control

Lane 2 : HEK293T cell lysate transfected with pCMV6-ENTRY IFI35 cDNA

Lysates/proteins at 5 µg per lane.


Predicted band size: 32 kDa

HEK293T cell lysates were generated from transient transfection of the cDNA clone (RC200929)




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-IFI35 antibody [1C9] (ab124037)

ab124037, at a 1/150 dilution, staining IFI35 in paraffin embedded Human pancreas tissue by Immunohistochemistry.



Immunocytochemistry/ Immunofluorescence - Anti-IFI35 antibody [1C9] (ab124037)

ab124037, at a 1/100 dilution, staining IFI35 in COS7 cells transiently transfected with pCMV6-ENTRY IFI35 by Immunofluorescence.



Flow Cytometry - Anti-IFI35 antibody [1C9] (ab124037)

ab124037, at a 1/100 dilution, staining IFI35 in HEK293T cells transfected with an IFI35 overexpress plasmid (Red) or empty vector control plasmid (Blue) by Flow Cytometry.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors