

Human spleen tissue lysate (cirrhosis) - total protein ab29702

概述

产品名称

人spleen组织裂解液(cirrhosis) - total protein

常规说明

Protein is isolated from whole tissue homogenates using a proprietary technique. The tissue was frozen in liquid nitrogen immediately after excision and then stored at -70°C. Quality control: 1. The isolated protein pattern on SDS-PAGE gel is visualized by coomassie blue staining. The pattern is consistent with each lot. 2. The isolated protein is Western Blot analyzed by either a GAPDH or beta-actin antibody. The expression level is consistent with each lot. Ethics: Human tissue samples are collected with the informed consent of the donors & relatives and are excised by licensed medical doctors. Tumor tissue samples are diagnosed and identified by at least two different evaluators. If you have more questions then please feel free to contact us. Donor information can be supplied on request.

经测试应用

适用于: WB

性能

形式

Liquid

存放说明

Store at -80°C. Allow to warm to room temp and agitate gently before aliquotting.

存储溶液

Preservative: None

Constituents: 2% SDS, 10% Glycerol, 0.1% Bromophenol blue, Protease inhibitor, Sodium chloride, EDTA, Magnesium chloride, HEPES, 0.15M Beta mercaptoethanol

裂解物说明

Protein is isolated from whole tissue homogenates using a proprietary technique. The tissue was frozen in liquid nitrogen immediately after excision and then stored at -70°C. Quality control: 1. The isolated protein pattern on SDS-PAGE gel is visualized by coomassie blue staining. The pattern is consistent with each lot. 2. The isolated protein is Western Blot analyzed by either a GAPDH or beta-actin antibody. The expression level is consistent with each lot. Ethics: Human tissue samples are collected with the informed consent of the donors & relatives and are excised by licensed medical doctors. Tumor tissue samples are diagnosed and identified by at least two different evaluators. If you have more questions then please feel free to contact us. Donor information can be supplied on request.

应用

Our [Abpromise guarantee](#) covers the use of **ab29702** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

WB Use at an assay dependent dilution. Samples need to be boiled for 5 minutes and put on ice before use.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors