abcam

Product datasheet

Human bladder tissue lysate (adenocarcinoma) - soluble fraction (male, 74 years) ab44765

概述

产品名称	人bladder组织裂解物(adenocarcinoma) - soluble fraction (male，74 years)
描述	人bladder soluble fraction裂解物
常规说明	Location: Left and right walls of bladder. Diagnosis: Adenocarcinoma. Poorly differentiated. Stage: II Grade: 3 Gross findings: Invasive multiple tumors, sizes 28 to 55 mm. Cut section firm, gray-white. Hemorrhagic. Microscopic findings: Histologic pattern: Cell distribution: (Positive) Diffuse Lymphocytic infiltration Vascular invasion Alveolar formation Structure / Pattern: (Positive) Storiform Fibrosis Pallisading Cellular differentiation: Adenomatous: (Positive) Glandular cell Glandular formation Nuclear atypia: Nuclear Appearance: Grades 0 I II and III Anisonucleosis: Grade II Hyperchromatism: Grade III Nucleolar prominent: Grade III Multinucleated giant cell: Grade III Mitotic activity: Grade III Nuclear grade: Grade III. This product belongs to a range of individual sets of lysates that were extracted from very specific tissues and are gender-, cancer subtype-, tumor grade- and cellular morphology- specific. They allow for consistency, reproducibility, and comparative studies from experiment to experiment, due to the existence of specific (matched) lysates that can be used as controls. Two extractions from each tissue were performed, extraction 1 yielding the soluble protein fraction and extraction 2 the insoluble protein fraction. Please find below a range of products that relate to ab44765: Extraction 1: soluble protein fraction ab44765 Human Bladder Tumor Tissue lysate **ab44763** Human Bladder Normal Tissue lysate (matched) Extraction 2: insoluble protein fraction **ab44767** Human Bladder Tumor Tissue lysate **ab46452** Human Bladder Normal Tissue lysate (matched)

性能

Mycoplasma free	Yes
形式	Liquid
存放说明	Shipped on Dry Ice. Upon delivery aliquot. Store at -80°C. Avoid freeze / thaw cycle.
存储溶液	pH: 7.40 Constituents: PBS, 0.0001% Pepstatin A, 0.018% Sodium orthovanadate, 0.004% Sodium fluoride, 0.0001% Aprotinin, 0.0001% Leupeptin, 0.25% Sodium deoxycholate, 0.017% PMSF, 0.1% SDS, 0.029% EDTA
纯化说明	Tissue specimens are homogenized in modified RIPA buffer to obtain the soluble proteins, and centrifuged to clarify. The lysate solution may appear turbid at cold temperatures due to insolubility of buffer components. The solution should clear upon warming to room temperature.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit **https://www.abcam.cn/abpromise** or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors