


Product datasheet

Anti-CPSF73 antibody ab72294

2 图像

概述

<b>产品名称</b>	Anti-CPSF73抗体
<b>描述</b>	兔多克隆抗体to CPSF73
<b>经测试应用</b>	<b>适用于:</b> IHC-P, WB <b>不适用于:</b> IP
<b>种属反应性</b>	<b>与反应:</b> Mouse, Human <b>预测可用于:</b> Rat, Rabbit, Horse, Guinea pig, Cow, Dog, Pig, Chimpanzee, Rhesus monkey, Gorilla, Orangutan 
<b>免疫原</b>	A region between residue 1 and 50 of human CPSF73 (NP_057291.1)
<b>阳性对照</b>	Whole cell lysates from HeLa, 293T and mouse NIH3T3 cells.

性能

<b>形式</b>	Liquid
<b>存放说明</b>	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
<b>存储溶液</b>	Preservative: 0.09% Sodium Azide Constituents: 8mM PBS, 60mM Citrate, 150mM Tris, pH 7-8
<b>纯度</b>	Immunogen affinity purified
<b>纯化说明</b>	ab72294 was affinity purified using an epitope specific to CPSF73 immobilized on solid support.
<b>克隆</b>	多克隆
<b>同种型</b>	IgG

应用

Our [Abpromise guarantee](#) covers the use of **ab72294** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用	Ab评论	说明
IHC-P		1/500 - 1/2000. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
WB		1/2000 - 1/10000. Detects a band of approximately 77 kDa (predicted molecular weight: 77 kDa).

**应用说明** Is unsuitable for IP.

## 靶标


**功能** Component of the cleavage and polyadenylation specificity factor (CPSF) complex that play a key role in pre-mRNA 3'-end formation, recognizing the AAUAAA signal sequence and interacting with poly(A) polymerase and other factors to bring about cleavage and poly(A) addition. Has endonuclease activity, and functions as mRNA 3'-end-processing endonuclease. Also involved in the histone 3'-end pre-mRNA processing. U7 snRNP-dependent protein that induces both the 3'-endoribonucleolytic cleavage of histone pre-mRNAs and acts as a 5' to 3' exonuclease for degrading the subsequent downstream cleavage product (DCP) of mature histone mRNAs. Cleavage occurs after the 5'-ACCCA-3' sequence in the histone pre-mRNA leaving a 3'-hydroxyl group on the upstream fragment containing the stem loop (SL) and 5' phosphate on the downstream cleavage product (DCP) starting with CU nucleotides. The U7-dependent 5' to 3' exonuclease activity is processive and degrades the DCP RNA substrate even after complete removal of the U7-binding site. Binds to the downstream cleavage product (DCP) of histone pre-mRNAs and the cleaved DCP RNA substrate in a U7 snRNP dependent manner.

**序列相似性** Belongs to the metallo-beta-lactamase superfamily. RNA-metabolizing metallo-beta-lactamase-like family. CPSF3 subfamily.

**翻译后修饰** Sumoylated on Lys-462, Lys-465 and Lys-545, preferentially by SUMO3.


**细胞定位** Nucleus.

## 图片



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-CPSF73 antibody (ab72294)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) analysis of human prostate carcinoma tissue labelling CPSF73 with ab72294 at 1/1000 (1µg/ml).  
Detection: DAB.



Western blot - CPSF73 antibody (ab72294)

**All lanes :** Anti-CPSF73 antibody (ab72294) at 0.1 µg/ml

**Lane 1 :** HeLa whole cell lysate at 5 µg

**Lane 2 :** HeLa whole cell lysate at 15 µg

**Lane 3 :** HeLa whole cell lysate at 50 µg

**Lane 4 :** 293T whole cell lysate at 50 µg

**Lane 5 :** Mouse NIH3T3 whole cell lysate at 50 µg

Developed using the ECL technique

**Predicted band size :** 77 kDa

**Observed band size :** 77 kDa

**Exposure time :** 3 minutes

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.cn/abpromise> or contact our technical team.

## Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors