

Product datasheet

Anti-RING1 antibody ab76985

3 图像

概述

<b>产品名称</b>	Anti-RING1抗体
<b>描述</b>	小鼠单克隆抗体to RING1
<b>经测试应用</b>	<b>适用于:</b> WB, ELISA
<b>种属反应性</b>	<b>与反应:</b> Human
<b>免疫原</b>	Recombinant fragment: NKECPTCRKK LVSKRSLRPD PNFDALISKI YPSREEEYEAH QDRVLIRLSR LHNQQALSSS IEEGLRMQAM HRAQRVRRPI PGSDQTTTMS, corresponding to amino acids 81-170 of human RING1 (NP_002922) with a 26 kDa tag <a href="#">Run BLAST with ExPASy</a> <a href="#">Run BLAST with NCBI</a>
<b>阳性对照</b>	H9c2(2-1) cell lysate; RIN-m5F cell lysate; immunogen.

性能

<b>形式</b>	Liquid
<b>存放说明</b>	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
<b>存储溶液</b>	Preservative: None Constituents: PBS, pH 7.2
<b>纯度</b>	Protein A purified
<b>克隆</b>	单克隆
<b>同种型</b>	IgG2b
<b>轻链类型</b>	kappa

应用

Our [Abpromise guarantee](#) covers the use of **ab76985** in the following tested applications. The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


应用	Ab评论	说明
WB		Use a concentration of 1 - 5 µg/ml. Predicted molecular weight: 42 kDa.

应用	Ab评论	说明
ELISA		Use at an assay dependent dilution.

## 靶标

<b>功能</b>	Constitutes one of the E3 ubiquitin-protein ligases that mediate monoubiquitination of 'Lys-119' of histone H2A, thereby playing a central role in histone code and gene regulation. H2A 'Lys-119' ubiquitination gives a specific tag for epigenetic transcriptional repression and participates in X chromosome inactivation of female mammals. Essential component of the Polycomb group (PcG) multiprotein PRC1 complex, a complex required to maintain the transcriptionally repressive state of many genes, including Hox genes, throughout development. PcG PRC1 complex act via chromatin remodeling and modification of histones, rendering chromatin heritably changed in its expressibility. Compared to RNF2/RING2, it does not have the main E3 ubiquitin ligase activity on histone H2A, and it may rather act as a modulator of RNF2/RING2 activity.
<b>通路</b>	Protein modification; protein ubiquitination.
<b>序列相似性</b>	Contains 1 RING-type zinc finger.
<b>细胞定位</b>	Nucleus speckle.

## 图片




Anti-RING1 antibody (ab76985) at 5 µg/ml + immunogen at 0.2 µg

### Secondary

Goat Anti-Mouse IgG (H&L)-HRP Conjugate at 1/5000 dilution

**Predicted band size** : 42 kDa

**Observed band size** : 35 kDa



Western blot - RING1 antibody (ab76985)


Anti-RING1 antibody (ab76985) at 5 µg/ml +  
H9c2(2-1) cell lysate at 25 µg

**Secondary**

Goat Anti-Mouse IgG (H&L)-HRP Conjugate at  
1/2500 dilution

**Predicted band size** : 42 kDa

**Observed band size** : 42 kDa



Western blot - RING1 antibody (ab76985)

Anti-RING1 antibody (ab76985) at 5 µg/ml +  
RIN-m5F cell lysate at 25 µg

**Secondary**

Goat Anti-Mouse IgG (H&L)-HRP Conjugate at  
1/2500 dilution

**Predicted band size** : 42 kDa

**Observed band size** : 42 kDa

**Additional bands at** : 60 kDa. We are  
unsure as to the identity of these extra bands.

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

**Our Abpromise to you: Quality guaranteed and expert technical support**

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.cn/abpromise> or contact our technical team.

**Terms and conditions**

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors