

Product datasheet

Anti-KCNQ4 antibody [N43/6] ab84820

★★★★★ 1 Abreviews 2 References 4 图像

概述

产品名称	Anti-KCNQ4抗体[N43/6]
描述	小鼠单克隆抗体[N43/6] to KCNQ4
宿主	Mouse
经测试应用	适用于: IHC-Fr, IHC-P, WB, ICC/IF, IP
种属反应性	与反应: Mouse, Rat, Human 预测可用于: Chimpanzee
免疫原	Fusion protein: AEAPRRRLGL GPPPGDAPRA ELVALTAVQS EQGEAGGGGS PRRLGLLGSP LPPGAPLPGP GSGSGSACGQ RSSAAH, corresponding to amino acids 2-77 of Human KCNQ4 (accession number P56696). Run BLAST with ExPASy Run BLAST with NCBI
阳性对照	Lysate from transfected COS-1 cells transiently expressing KCNQ4.
常规说明	The clone number has been updated from S43-6 to N43/6, both clone numbers name the same antibody clone.

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.
存储溶液	Preservative: 0.09% Sodium Azide Constituents: 50% Glycerol, PBS, pH 7.4
纯度	Protein G purified
克隆	单克隆
克隆编号	N43/6
同种型	IgG1

应用

Our [Abpromise guarantee](#) covers the use of **ab84820** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用	Ab评论	说明
IHC-Fr		1/1000.
IHC-P		Use at an assay dependent concentration.
WB		Use a concentration of 1 - 10 mg/ml. Predicted molecular weight: 77 kDa.
ICC/IF	★★★★★	Use a concentration of 1 - 10 µg/ml.
IP		Use at an assay dependent concentration.

靶标

功能	Probably important in the regulation of neuronal excitability. May underlie a potassium current involved in regulating the excitability of sensory cells of the cochlea. KCNQ4 channels are blocked by linopirdin, XE991 and bepridil, whereas clofilium is without significant effect. Muscarinic agonist oxotremorine-M strongly suppress KCNQ4 current in CHO cells in which cloned KCNQ4 channels were coexpressed with M1 muscarinnic receptors.
组织特异性	Expressed in the outer, but not the inner, sensory hair cells of the cochlea. Slightly expressed in heart, brain and skeletal muscle.
疾病相关	Defects in KCNQ4 are the cause of deafness autosomal dominant type 2A (DFNA2A) [MIM:600101]. DFNA2A is a form of sensorineural hearing loss. Sensorineural deafness results from damage to the neural receptors of the inner ear, the nerve pathways to the brain, or the area of the brain that receives sound information.
序列相似性	Belongs to the potassium channel family. KQT (TC 1.A.1.15) subfamily. Kv7.4/KCNQ4 sub-subfamily.
结构域	The segment S4 is probably the voltage-sensor and is characterized by a series of positively charged amino acids at every third position. The A-domain tail carries the major determinants of channel assembly specificity. Its coiled-coil region is Four-stranded.
细胞定位	Basal cell membrane. Situated at the basal membrane of cochlear outer hair cells.

图片




2014 Abcam

Immunocytochemistry/ Immunofluorescence - Anti-KCNQ4 antibody [N43/6] (ab84820)


This image is courtesy of an anonymous Abreview

ab84820 staining KCNQ4 in KCNQ4 transfected NIH3T3 cell line by ICC/IF (Immunocytochemistry/immunofluorescence). Cells were fixed with 4% PFA, permeabilized with 0.5% Triton X-100 in PBS and blocked with 4% Milk in PBS for 60 minutes at 21°C. Samples were incubated with primary antibody (1/1000 in PBS) for 1 hour at 21°C. An Alexa Fluor®594-conjugated Goat anti-mouse IgG polyclonal (1/500) was used as the secondary antibody.



Immunohistochemistry (Frozen sections) - Anti-KCNQ4 antibody [N43/6] (ab84820)

ab84820 staining KCNQ4 in Mouse brain tissue sections by Immunohistochemistry (IHC-Fr - frozen sections).




Western blot - Anti-KCNQ4 antibody [N43/6] (ab84820)

All lanes : Anti-KCNQ4 antibody [N43/6] (ab84820)

Lane 1 : Molecular weight marker

Lane 2 : Mixed cell lysates prepared from rat tissues Brain, Heart, Kidney, Liver, Lung, Pancreas, Skeletal Muscle, Spleen, Testes, Thymus, and H9C2 cells at 10 µg

Predicted band size: 77 kDa



ab84820 staining KCNQ4 in human hippocampal tissue by IHC-P (Bouin's fixed paraffin embedded).

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-KCNQ4 antibody [N43/6] (ab84820)

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors