abcam

Product datasheet

Quercetin, Antioxidative flavonoid ab120247

2 References 2 图像

概述

产**品名称** Quercetin, Antioxidative flavonoid

描述 Antioxidative flavonoid

生物学描述 Antioxidative flavonoid. Anticancer, antithrombotic and anti-inflammatory agent. Actions include

inhibition of mitochondrial ATPase, phosphodiesterases, Pl3-kinase and PIP kinase activity.

CAS编号 6151-25-3

化学结构 0H

性能

化学名称 2-(3,4-Dihydroxyphenyl)-3,5,7-trihydroxy-4*H*-1-benzopyran-4-one

分子量302.24分子式C15H10O7PubChem识别号5280343

存放说明 Store at Room Temperature. The product can be stored for up to 12 months.

溶解度概述 Soluble in DMSO to 100 mM

处理 Wherever possible, you should prepare and use solutions on the same day. However, if you need

to make up stock solutions in advance, we recommend that you store the solution as aliquots in tightly sealed vials at -20°C. Generally, these will be useable for up to one month. Before use, and prior to opening the vial we recommend that you allow your product to equilibrate to room

temperature for at least 1 hour.

Toxic, refer to SDS for further information.

Need more advice on solubility, usage and handling? Please visit our frequently asked

questions (FAQ) page for more details.

SMILES Oc1ccc(cc10)C=3Oc2cc(0)cc(0)c2C(=0)C=3O

来源 Synthetic

1


The Abpromise guarantee

Abpromise™承诺保证使用ab120247于以下的经测试应用


"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应 用	Ab评论	说明
Functional Studies		Use at an assay dependent concentration.

图片



2D chemical structure image of ab120247, Quercetin, Antioxidative flavonoid



Functional Studies - Quercetin, Antioxidative flavonoid (ab120247)

<u>ab13847</u> staining active caspase 3 in A549 cells treated with quercetin (ab120247), by ICC/IF. Increase in active caspase 3 expression correlates with increased concentration of quercetin, as described in literature.

The cells were incubated at 37°C for 6h in media containing different concentrations of ab120247 (quercetin) in DMSO, fixed with 100% methanol for 5 minutes at -20°C and blocked with PBS containing 10% goat serum, 0.3 M glycine, 1% BSA and 0.1% tween for 2h at room temperature. Staining of the treated cells with ab13847 (1 µg/ml) was performed overnight at 4°C in PBS containing 1% BSA and 0.1% tween. A DyLight 488 goat anti-rabbit polyclonal antibody (ab968999) at 1/250 dilution was used as the secondary antibody. Nuclei were counterstained with DAPI and are shown in blue.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES, NOT FOR USE IN HUMANS"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

- · Guarantee only valid for products bought direct from Abcam or one of our authorized distributors
- Abcam biochemicals are novel compounds and we have not tested their biological activity in house. Please use the literature to identify how to use these products effectively. If you require further assistance please contact the scientific support team