abcam

Product datasheet

Sla overexpression 293T lysate (whole cell) ab94185

2 图像

概述

产品名称 Sla overexpression 293T裂解物(whole cell)

常规说明 ab94185 is a 293T cell transfected lysate in which Human Sla has been transiently over-

expressed using a pCMV-Slap plasmid. The lysate is provided in 1X Sample Buffer.

Protein formally labeled as Slap.

经测试应用 适用于: WB

性能

Mycoplasma free Yes

形式 Liquid

存放说明 Shipped on dry ice. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

存储溶液 Constituents: 0.01% Bromophenol blue, 2.3% Beta mercaptoethanol, 2% Sodium lauryl sulfate,

0.788% Tris HCI, 10% Glycerol (glycerin, glycerine)

背景 Function: Adapter protein, which negatively regulates T-cell receptor (TCR) signaling. Inhibits T-

cell antigen-receptor induced activation of nuclear factor of activated T-cells. Involved in the negative regulation of positive selection and mitosis of T-cells. May act by linking signaling

proteins such as ZAP70 with CBL, leading to a CBL dependent degradation of signaling proteins.

Tissue specificity: Expressed in lung and fetal brain. Weakly expressed in heart, adult brain, placenta, liver, skeletal muscle, kidney and pancreas. Similarity: Contains 1 SH2 domain. Contains 1 SH3 domain. Domain: The C-terminal domain is essential for the homodimerization and the interaction with CBL. While the interaction with CBL is apparently mediated via the hydrophobic region of this domain, the highly charged region is apparently required for the

homodimerization.

应用

The Abpromise guarantee

Abpromise™承诺保证使用ab94185于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
WB		Use at an assay dependent dilution.

1


应用	Ab评论	说明

图片

cell) (ab94185)



ab94185 at 15 µg/lane on an SDS-PAGE gel



All lanes: Anti-Sla antibody (ab58290) at 1/500 dilution

Lane 1: Sla overexpression 293T lysate (whole cell) (ab94185)

Lane 2: 293T non-transfected Lysate

Lysates/proteins at 25 µg per lane.

Secondary

All lanes : Goat Anti-mouse IgG (H and L) HRP conjugated at 1/2500 dilution

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors