

Anti-2B4 antibody ab113289

★★★★★ [3 Abreviews](#) [1 References](#) [2 图像](#)

概述	
产品名称	Anti-2B4抗体
描述	兔多克隆抗体to 2B4
宿主	Rabbit
特异性	At least three isoforms are known to exist. ab113289 is predicted to not cross-react with other family members.
经测试应用	适用于: WB, ICC/IF
种属反应性	与反应: Human
免疫原	Synthetic peptide corresponding to Human 2B4 (C terminal).
阳性对照	Daudi cell lysate.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>
性能	
形式	Liquid
存放说明	Shipped at 4°C. Store at 4°C (stable for up to 12 months).
存储溶液	pH: 7.2 Preservative: 0.02% Sodium azide Constituent: 99% PBS
纯度	Immunogen affinity purified
纯化说明	ab113289 is purified by affinity chromatography via a peptide column.
克隆	多克隆
同种型	IgG

The Abpromise guarantee **Abpromise™**承诺保证使用ab113289于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		Use a concentration of 1 - 2 µg/ml. Predicted molecular weight: 42 kDa.
ICC/IF		Use a concentration of 20 µg/ml.

靶标

功能	Modulate other receptor-ligand interactions to enhance leukocyte activation.
组织特异性	Expressed in spleen, PBL, followed by lung, liver, testis and small intestine. Expressed not only in NK cells, but also on monocytes and basophils.
序列相似性	Contains 2 Ig-like (immunoglobulin-like) domains.
细胞定位	Membrane.

图片




Lane 1 : Anti-2B4 antibody (ab113289) at 1 µg/ml
Lane 2 : Anti-2B4 antibody (ab113289) at 2 µg/ml

All lanes : Daudi cell lysate

Lysates/proteins at 15 µg per lane.

Predicted band size: 42 kDa



Immunofluorescence analysis of Daudi cells, staining 2B4 with ab113289 at 20 µg/ml.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors