

Anti-ACADS/SCAD antibody [EPR10862(B)] ab156571

重组 RabMAb

★★★★★ [2 Abreviews](#) [4 References](#) [10 图像](#)

概述

产品名称	Anti-ACADS/SCAD抗体[EPR10862(B)]
描述	兔单克隆抗体[EPR10862(B)] to ACADS/SCAD
宿主	Rabbit
特异性	The mouse and rat recommendation is based on the WB results. We do not guarantee IHC-P for mouse and rat.
经测试应用	适用于: WB, IHC-P, IP 不适用于: Flow Cyt or ICC/IF
种属反应性	与反应: Mouse, Rat, Human
免疫原	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
阳性对照	WB: HeLa, Mouse liver, and Rat kidney lysates. IHC-P: human hepatocellular carcinoma, Human heart and Human thyroid gland tissues tissue. IP: Human liver cells.
常规说明	This product is a recombinant monoclonal antibody, which offers several advantages including: <ul style="list-style-type: none">- High batch-to-batch consistency and reproducibility- Improved sensitivity and specificity- Long-term security of supply- Animal-free production For more information see here . Our RabMAb [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents .

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
存储溶液	Preservative: 0.01% Sodium azide Constituents: 59% PBS, 40% Glycerol, 0.05% BSA
纯度	Protein A purified
克隆	单克隆
克隆编号	EPR10862(B)

同种型

IgG

应用

The Abpromise guarantee

Abpromise™ 承诺保证使用 ab156571 于以下的经测试应用

“应用说明”部分下显示的仅为推荐的起始稀释度；实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB	★★★★★ (1)	1/1000 - 1/10000. Detects a band of approximately 41 kDa (predicted molecular weight: 44 kDa).
IHC-P		1/50 - 1/100. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. The mouse and rat recommendation is based on the WB results. We do not guarantee IHC-P for mouse and rat. See <u>IHC antigen retrieval protocols</u> .
IP		1/10 - 1/100.

应用说明

Is unsuitable for Flow Cyt or ICC/IF.

靶标

通路

Lipid metabolism; mitochondrial fatty acid beta-oxidation.

疾病相关

Defects in ACADS are the cause of acyl-CoA dehydrogenase short-chain deficiency (ACADSD) [MIM:201470]. It is an autosomal recessive disorder resulting in acute acidosis and muscle weakness in infants, and a form of lipid-storage myopathy in adults.


序列相似性

Belongs to the acyl-CoA dehydrogenase family.

细胞定位


Mitochondrion matrix.

图片



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-ACADS/SCAD antibody [EPR10862(B)] (ab156571)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) analysis of human hepatocellular carcinoma tissue sections labeling ACADS/SCAD with Purified ab156571 at 1:100 dilution (3.76 µg/ml). Perform heat mediated antigen retrieval using **ab93684** (Tris/EDTA buffer, pH 9.0). Purified ImmunoHistoProbe one step HRP Polymer (ready to use) was used for detection. Negative control: PBS instead of the primary antibody. Hematoxylin was used as a counterstain.



Western blot - Anti-ACADS/SCAD antibody [EPR10862(B)] (ab156571)

All lanes : Anti-ACADS/SCAD antibody [EPR10862(B)] (ab156571) at 1/1000 dilution (Purified)

Lane 1 : HeLa (Human cervix adenocarcinoma epithelial cell) whole cell lysates

Lane 2 : Mouse liver lysates

Lane 3 : Rat kidney lysates


Lysates/proteins at 20 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit IgG (HRP) with minimal cross-reactivity with human IgG at 1/2000 dilution

Predicted band size: 44 kDa

Observed band size: 41 kDa



Immunoprecipitation - Anti-ACADS/SCAD antibody
[EPR10862(B)] (ab156571)

ab156571 (Purified) at 1:20 dilution (2 µg) immunoprecipitating ACADS/SCAD in Human liver lysate.

Lane 1 (input): Human liver lysate 10 µg


Lane 2 (+): ab156571 & Human liver lysate

Lane 3 (-): Rabbit monoclonal IgG (**ab172730**) instead of ab156571 in Human liver lysate

For western blotting, VeriBlot for IP Detection Reagent (HRP)

(**ab131366**) was used at 1:1000 dilution.


Blocking and diluting buffer: 5% NFDm/TBST.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-ACADS/SCAD antibody
[EPR10862(B)] (ab156571)

ab156571 showing +ve staining in Human normal liver.


Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-ACADS/SCAD antibody [EPR10862(B)] (ab156571)

ab156571 showing +ve staining in Human gastric adenocarcinoma.


Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-ACADS/SCAD antibody [EPR10862(B)] (ab156571)

ab156571 showing +ve staining in Human normal colon.


Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-ACADS/SCAD antibody [EPR10862(B)] (ab156571)

ab156571 showing +ve staining in Human urinary bladder carcinoma.


Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-ACADS/SCAD antibody [EPR10862(B)] (ab156571)

Immunohistochemical analysis of paraffin embedded Human heart tissue labeling ACADS/SCAD with ab156571 antibody at 1/50.

Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-ACADS/SCAD antibody [EPR10862(B)] (ab156571)

Immunohistochemical analysis of paraffin embedded Human thyroid gland tissue labeling ACADS/SCAD with ab156571 antibody at 1/50.

Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results



Long-term and scalable supply
Recombinant technology



Success from the first experiment
Confirmed specificity



Ethical standards compliant
Animal-free production

Anti-ACADS/SCAD antibody [EPR10862(B)]
(ab156571)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors