

Anti-AIM2 antibody ab93015

★★★★★ [8 Abreviews](#) [36 References](#) [3 图像](#)

概述

产品名称	Anti-AIM2抗体
描述	兔多克隆抗体to AIM2
宿主	Rabbit
经测试应用	适用于: ICC/IF, WB, IHC-P
种属反应性	与反应: Human 预测可用于: Mouse 
免疫原	Recombinant fragment, corresponding to amino acids 93-341 of Human AIM2 (NM_004833).
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Lyophilized:Reconstitute with 200ul distilled sterile water. Please note that if you receive this product in liquid form it has already been reconstituted as described and no further reconstitution is necessary.
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid repeated freeze / thaw cycles.
存储溶液	pH: 7.20 Preservative: 0.02% Sodium azide Constituents: PBS, 1% BSA
纯度	Immunogen affinity purified
克隆	多克隆
同种型	IgG

应用

The Abpromise guarantee

Abpromise™ 承诺保证使用ab93015于以下的经测试应用


“应用说明”部分下显示的仅为推荐的起始稀释度；实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ICC/IF		Use at an assay dependent concentration.
WB	★★★★☆ (4)	1/500 - 1/1000. Predicted molecular weight: 39 kDa.
IHC-P	★★★★☆ (1)	1/100 - 1/500.

靶标

功能	Tumor suppressor which may act by repressing NF-kappa-B transcriptional activity.
组织特异性	Expressed in spleen, small intestine, peripheral blood leukocytes, and testis.
序列相似性	Belongs to the HIN-200 family. Contains 1 DAPIN domain. Contains 1 HIN-200 domain.
细胞定位	Nucleus.

图片




All lanes : Anti-AIM2 antibody (ab93015) at 1/500 dilution


Lane 1 : EC-109 cell lysate

Lane 2 : HepG2 cell lysate

Predicted band size: 39 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) analysis of fetal spleen tissue sections labeling AIM2 with ab93015 at 1/100 dilution.



Immunohistochemical staining of AIM2 in formalin fixed, paraffin embedded Human fetal tonsil showing nuclear staining with ab93015 at a dilution of 1/100.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-AIM2 antibody (ab93015)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors