abcam

Product datasheet

Alexa Fluor® 488 Anti-Caveolin-1 antibody [E249] - Caveolae Marker ab185043



1 References 2 图像

概述

产品名称 Alexa Fluor® 488荧光Anti-Caveolin-1抗体[E249] - Caveolae Marker

描述 Alexa Fluor® 488荧光兔单克隆抗体[E249] to Caveolin-1 - Caveolae Marker

宿主 Rabbit

偶联物 Alexa Fluor® 488. Ex: 495nm, Em: 519nm

经测试应用 适用干: ICC/IF 种属反应性 与反应: Human 不与反应: Rat

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

阳性对照 ICC/IF: HeLa cells.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit 常规说明 monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

> Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc., a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or

outlicensing@thermofisher.com.

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Store In the Dark.

存储溶液 pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA

纯**度** Protein A purified

 克隆
 单克隆

 克隆编号
 E249

 同种型
 IqG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab185043于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度:实际最佳的稀释度/浓度应由使用者检定。

应 用	Ab评论	说明
ICC/IF		1/50.

靶	柡

功能 May act as a scaffolding protein within caveolar membranes. Interacts directly with G-protein

alpha subunits and can functionally regulate their activity (By similarity). Involved in the

costimulatory signal essential for T-cell receptor (TCR)-mediated T-cell activation. Its binding to DPP4 induces T-cell proliferation and NF-kappa-B activation in a T-cell receptor/CD3-dependent

manner. Recruits CTNNB1 to caveolar membranes and may regulate CTNNB1-mediated

signaling through the Wnt pathway.

组织特异性 Expressed in muscle and lung, less so in liver, brain and kidney.

疾病相关 Defects in CAV1 are the cause of congenital generalized lipodystrophy type 3 (CGL3)

[MIM:612526]; also called Berardinelli-Seip congenital lipodystrophy type 3 (BSCL3). Congenital generalized lipodystrophies are autosomal recessive disorders characterized by a near absence of adipose tissue, extreme insulin resistance, hypertriglyceridemia, hepatic steatosis and early

onset of diabetes.

序列相似性 Belongs to the caveolin family.

翻译后修饰 The initiator methionine for isoform Beta is removed during or just after translation. The new N-


terminal amino acid is then N-acetylated.

细胞定位 Golgi apparatus membrane. Cell membrane. Membrane > caveola. Membrane raft. Colocalized

with DPP4 in membrane rafts. Potential hairpin-like structure in the membrane. Membrane protein

of caveolae.


图片



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 488 Anti-Caveolin-1 antibody [E249] -Caveolae Marker (ab185043)

ab185043 staining Caveolin-1 in HeLa cells. The cells were fixed with 100% methanol (5min), permeabilized in 0.1% Triton X-100 for 5 minutes and then blocked in 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated with ab185043 at a working dilution of 1 in 50 (shown in green) and ab7291 (Mouse monoclonal [DM1A] to alpha Tubulin) at 1µg/ml overnight at +4°C, followed by a further incubation at room temperature for 1h with an AlexaFluor® 594 Goat anti-Mouse secondary (ab150120) at 2µg/ml (shown in red). Nuclear DNA was labelled in blue with DAPI.

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors