

Alexa Fluor® 488 Anti-Coilin antibody [IH10] ab197531

2 图像

概述

产品名称	Alexa Fluor® 488 荧光 Anti-Coilin 抗体 [IH10]
描述	Alexa Fluor® 488 荧光 小鼠 单克隆 抗体 [IH10] to Coilin
宿主	Mouse
偶联物	Alexa Fluor® 488. Ex: 495nm, Em: 519nm
经测试应用	适用于: ICC/IF, Flow Cyt (Intra)
种属反应性	与反应: Human
免疫原	Synthetic peptide corresponding to Human Coilin.
阳性对照	ICC/IF: HeLa cells. Flow Cyt (Intra): HeLa cells.
常规说明	<p>Alexa Fluor® is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C. Avoid freeze / thaw cycle. Store In the Dark.
存储溶液	pH: 7.40 Preservative: 0.02% Sodium azide Constituents: 1% BSA, 30% Glycerol (glycerin, glycerine), PBS
纯度	IgG fraction
克隆	单克隆
克隆编号	IH10
同种型	IgG2b

应用

The Abpromise guarantee **Abpromise™** 承诺保证使用 ab197531 于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度；实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ICC/IF		1/1000.
Flow Cyt (Intra)		1/500.

靶标


功能	Is a component of the nuclear coiled bodies (CBS) which are involved in the function or assembly/disassembly of nucleoplasmic snRNPs. During mitosis, CBS disassemble, coinciding with a mitotic-specific phosphorylation of p80 coilin.
组织特异性	Found in all the cell types examined.
序列相似性	Belongs to the coilin family.
细胞定位	Nucleus. Nuclear coiled body located in the interchromatin space between the nucleolus and the nucleus.

图片



Flow Cytometry (Intracellular) - Alexa Fluor® 488
Anti-Coilin antibody [IH10] (ab197531)

Overlay histogram showing HeLa cells stained with ab197531 (red line). The cells were fixed with 80% methanol (5 min) and then permeabilized with 0.1% PBS-Tween for 20 min. The cells were then incubated in 1x PBS / 10% normal goat serum / 0.3M glycine to block non-specific protein-protein interactions followed by the antibody (ab197531, 1/500 dilution) for 30 min at 22°C. Isotype control antibody (black line) was mouse IgG2b (monoclonal) Alexa Fluor® 488 ([ab171465](#)) used at the same concentration and conditions as the primary antibody. Unlabelled sample (blue line) was also used as a control. Acquisition of >5,000 events were collected using a 20mW Argon ion laser (488nm) and 525/30 bandpass filter.



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 488 Anti-Coilin antibody [IH10] (ab197531)

ab197531 staining Coilin in HeLa cells. The cells were fixed with 100% methanol (5min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab197531 at 1/1000 dilution (shown in green) and [ab6046](#) (Rabbit polyclonal to beta Tubulin) at 1µg/ml. This was followed by an incubation at room temperature for 1h with [ab150088](#), Goat polyclonal Secondary Antibody to Rabbit IgG - H&L (Alexa Fluor® 594), pre-adsorbed, at 1µg/ml (shown in red). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors