abcam

Product datasheet

Alexa Fluor® 488 Anti-Cytokeratin 18 antibody [E431-1] ab194124



重组 RabMAb

3 图像

概述

产品名称 Alexa Fluor® 488荧光Anti-Cytokeratin 18抗体[E431-1]

描述 Alexa Fluor® 488荧光兔单克隆抗体[E431-1] to Cytokeratin 18

宿主 Rabbit

偶联物 Alexa Fluor® 488. Ex: 495nm, Em: 519nm

经测试应用 适用于: ICC/IF, Flow Cyt (Intra)

种属反应性 与反应: Human

免疫原 Full length native protein (purified) corresponding to Human Cytokeratin 18.

Database link: P05783

ICC/IF: HCT116 cells. Flow Cyt (intra): HCT116 cells. 阳性对照

常规说明 Our RabMAb® technology is a patented hybridoma-based technology for making rabbit

monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor[®] dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased

product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research.

For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or

outlicensing@thermofisher.com.

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Stable for 12 months at -20°C. Store In the Dark.

存储溶液 pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA

纯**度** Protein A purified

 克隆
 单克隆

 克隆编号
 E431-1

 同种型
 IgG


应用

The Abpromise guarantee Abpromise™承诺保证使用ab194124于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应 用	Ab评论	说明
ICC/IF		1/50. This product gave a positive signal in both 100% methanol (5 min) and 4% formaldehyde (10 min) fixed HCT116 cells.
Flow Cyt (Intra)		1/500. <u>ab199091</u> - Rabbit monoclonal lgG (Alexa Fluor® 488), is suitable for use as an isotype control with this antibody.

靶标		
功能	Involved in the uptake of thrombin-antithrombin complexes by hepatic cells (By similarity). When phosphorylated, plays a role in filament reorganization. Involved in the delivery of mutated CFTR to the plasma membrane. Together with KRT8, is involved in interleukin-6 (IL-6)-mediated barrier protection.	
组织 特异性	Expressed in colon, placenta, liver and very weakly in exocervix. Increased expression observed in lymph nodes of breast carcinoma.	
疾病相关	Defects in KRT18 are a cause of cirrhosis (CIRRH) [MIM:215600].	
序列相似性	Belongs to the intermediate filament family.	
翻译后修饰	Phosphorylation at Ser-34 increases during mitosis. Hyperphosphorylated at Ser-53 in diseased cirrhosis liver. Phosphorylation increases by IL-6. Proteolytically cleaved by caspases during epithelial cell apoptosis. Cleavage occurs at Asp-238	
	by either caspase-3, caspase-6 or caspase-7.	
	O-glycosylated at multiple sites; glycans consist of single N-acetylglucosamine residues.	
细胞定位	Cytoplasm > perinuclear region.	



Flow Cytometry (Intracellular) - Alexa Fluor® 488 Anti-Cytokeratin 18 antibody [E431-1] (ab194124)

ab194124 ab195889

Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 488 Anti-Cytokeratin 18 antibody [E431-1] (ab194124)

Overlay histogram showing HCT116 cells stained with ab194124 (red line). The cells were fixed with 80% methanol (5 min) and then permeabilized with 0.1% PBS-Triton X-100 for 20 min. The cells were then incubated in 1x PBS / 10% normal goat serum / 0.3M glycine to block non-specific protein-protein interactions followed by the antibody (ab194124, 1/500 dilution) for 30 min at 22°C. Isotype control antibody (black line) was rabbit IgG (monoclonal) Alexa Fluor® 488 used at the same concentration and conditions as the primary antibody. Unlabelled sample (blue line) was also used as a control.

Acquisition of >5,000 events were collected using a 20mW Argon ion laser (488nm) and 525/30 bandpass filter.

This antibody gave a positive signal in HCT116 fixed with 4% formaldehyde (10 min)/permeabilized with 0.1% PBS-Triton X-100 for 20 min used under the same conditions.

ab194124 staining Cytokeratin 18 in HCT116 cells. The cells were fixed with 100% methanol (5 min), permeabilised in 0.1% Triton X-100 for 5 minutes and then blocked in 1% BSA/10% normal goat serum/0.3M glycine in 0.1%PBS-Tween for 1h. The cells were then incubated with ab194124 at a working dilution of 1 in 50 (shown in green) and ab195889, Mouse monoclonal [DM1A] to alpha Tubulin (Alexa Fluor® 594, shown in red) at 2µg/ml overnight at +4°C. Nuclear DNA was labelled in blue with DAPI.

This product gave a positive signal in 4% formaldehyde (10 min) fixed HCT116 cells under the same testing conditions.

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).



Alexa Fluor® 488 Anti-Cytokeratin 18 antibody [E431-1] (ab194124)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors