abcam

Product datasheet

Alexa Fluor® 488 Anti-TRAF6 antibody [EP591Y] ab214638





重组 RabMAb

1 References 3 图像

概述

免疫原

产品名称 Alexa Fluor® 488荧光Anti-TRAF6抗体[EP591Y]

Alexa Fluor® 488荧光兔单克隆抗体[EP591Y] to TRAF6 描述

宿主 Rabbit

偶联物 Alexa Fluor® 488. Ex: 495nm, Em: 519nm

经测试应用 适用于: ICC/IF, Flow Cyt (Intra)

种属反应性 与反应: Human

预测可用于: Mouse, Rat 🔷

Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

阳性对照 ICC/IF: HeLa cells Flow Cyt (intra): HAP1-wt cells.

常规说明 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb** patents.

Alexa Fluor® is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or

outlicensing@thermofisher.com.

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Store In the Dark.

存储溶液 pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: PBS, 1% BSA, 30% Glycerol (glycerin, glycerine)

纯**度** Protein A purified

同种型 IgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab214638于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

| 应用 | Ab评论 | 说明 |
|------------------|------|---|
| ICC/IF | | 1/100. This product gave a positive signal in HeLa cells fixed with 100% methanol (5 min) |
| Flow Cyt (Intra) | | Use a concentration of 0.1 µg/ml. |

靶标

B3 ubiquitin ligase that, together with UBE2N and UBE2V1, mediates the synthesis of 'Lys-63'-linked-polyubiquitin chains conjugated to proteins, such as IKBKG, AKT1 and AKT2. Also mediates ubiquitination of free/unanchored polyubiquitin chain that leads to MAP3K7 activation. Leads to the activation of NF-kappa-B and JUN. May be essential for the formation of functional osteoclasts. Seems to also play a role in dendritic cells (DCs) maturation and/or activation. Represses c-Myb-mediated transactivation, in B lymphocytes. Adapter protein that seems to play a role in signal transduction initiated via TNF receptor, IL-1 receptor and IL-17 receptor.

组织特异性 Expressed in heart, brain, placenta, lung, liver, skeletal muscle, kidney and pancreas.

通路 Protein modification; protein ubiquitination.

序列相似性 Belongs to the TNF receptor-associated factor family. A subfamily.

Contains 1 MATH domain.

Contains 1 RING-type zinc finger.

Contains 2 TRAF-type zinc fingers.

结构域 The coiled coil domain mediates homo- and hetero-oligomerization.

The MATH/TRAF domain binds to receptor cytoplasmic domains.


翻译后修饰 Sumoylated on Lys-124, Lys-142 and Lys-453 by SUMO1.

Polyubiquitinated on Lys-124; after cell stimulation with IL-1-beta or TGF-beta. This ligand-induced cell stimulation leads to dimerization/oligomerization of TRAF6 molecules, followed by auto-ubiquitination which involves UBE2N and UBE2V1 and leads to TRAF6 activation. This 'Lys-63' site-specific poly-ubiquitination appears to be associated with the activation of signaling molecules. Endogenous autoubiquitination occurs only for the cytoplasmic form.

细胞定位

Cytoplasm. Cytoplasm > cell cortex. Nucleus. Found in the nuclei of some agressive B-cell lymphoma cell lines as well as in the nuclei of both resting and activated T-and B-lymphocytes. Found in punctate nuclear body protein complexes. Ubiquitination may occur in the cytoplasm and sumoylation in the nucleus.


图片



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 488 Anti-TRAF6 antibody [EP591Y] (ab214638)

ab214638 staining TRAF6 in HeLa cells. The cells were fixed with 100% methanol (5 min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab214638 at 1/100 dilution (shown in green) and ab195889, Mouse monoclonal to alpha Tubulin (Alexa Fluor[®] 594), at 1/250 dilution (shown in red). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).



Flow Cytometry (Intracellular) - Alexa Fluor® 488 Anti-TRAF6 antibody [EP591Y] (ab214638)

Overlay histogram showing HAP1 wildtype (green line) and HAP1-TRAF6 knockout cells (red line) stained with ab214638. The cells were fixed with 4% formaldehyde (10 min) and then permeabilized with 0.1% PBS-Triton X-100 for 15 min. The cells were then incubated in 1x PBS / 10% normal goat serum to block non-specific protein-protein interactions followed by the antibody (ab214638, 0.1µg/ml) for 30 min at 22°C.

A rabbit IgG isotype control antibody (<u>ab199091</u>) was used at the same concentration and conditions as the primary antibody (HAP1 wildtype - black line, HAP1-TRAF6 knockout - grey line). Unlabelled sample was also used as a control (this line is not shown for the purpose of simplicity).

Acquisition of >5,000 events were collected using a 50 mW Blue laser (488nm) and 530/30 bandpass filter.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors