abcam

Product datasheet

Alkaline Phosphatase Anti-6X His tag® antibody [AD1.1.10] ab81652

1图像

概述

产品名称 Alkaline Phosphatase Anti-6X His tag®抗体[AD1.1.10]

描述 Alkaline Phosphatase小鼠单克隆抗体[AD1.1.10] to 6X His tag®

宿主 Mouse

偶联物 Alkaline Phosphatase

特异性 ab81652 reacts to recombinant proteins containing the 6X His tag® fused to either the amino or

carboxy terminus.

经测试应用 适用于: WB

种属反应性 与反应: Species independent

免疫原 Synthetic peptide corresponding to 6X His tag®. Polyhistidine (HHHHHH) tagged polypeptide.

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze /

thaw cycle.

存储溶液 pH: 7.20

Preservative: 0.013% Sodium azide

Constituents: 0.87% Sodium chloride, 0.3025% Tris

纯**度** Size exclusion

 克隆
 单克隆

 克隆编号
 AD1.1.10

1

同种型 lgG1

应用

The Abpromise guarantee Abpromise™承诺保证使用ab81652于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/5000.

靶标


相关性 The H-H-H-H motif is used as a tag on many recombinant proteins to facilitate purification.

His-tags can be fused to the amino- or carboxy- termini of proteins in transfected or transformed

cells.

细胞定位 Depends upon the localization of the parent protein tagged with hexahistidine.

图片



Western blot - Alkaline Phosphatase Anti-6X His tag® antibody [AD1.1.10] (ab81652)

All lanes : Alkaline Phosphatase Anti-6X His tag® antibody [AD1.1.10] (ab81652) at 1/10000 dilution

Lane 1: 60 kDa 6X His-tagged protein at 0.3 µg

Lane 2 : 60 kDa 6X His-tagged protein at 0.1 μg

Lane 3: 60 kDa 6X His-tagged protein at 0.03 μg **Lane 4**: 60 kDa 6X His-tagged protein at 0.01 μg

Lane 5: 60 kDa 6X His-tagged protein at 0.003 µg

Imaged using stabilized Alkaline Phosphatase substrate.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors