abcam

Product datasheet

Anti-Apo-H antibody [EPR2898(2)] ab108348



重组 RabMAb

3 References 3 图像

概述

产品名称 Anti-Apo-H抗体[EPR2898(2)]

描述 兔单克隆抗体[EPR2898(2)] to Apo-H

宿主 Rabbit

经测试应用 适用于: WB, ICC/IF

不适用于: Flow Cyt or IHC-P

种属反应性 与反应: Human

预测可用于: Rat 📤

Synthetic peptide. This information is proprietary to Abcam and/or its suppliers. 免疫原

阳性对照 Human fetal liver, Human plasma, human fetal kidney, and HDL lysates, HepG2 cells

常规说明 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

性能

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

存储溶液 pH: 7.20

Preservative: 0.05% Sodium azide

Constituents: 0.1% BSA, 40% Glycerol (glycerin, glycerine), 9.85% Tris glycine, 50% Tissue

culture supernatant

纯度 Tissue culture supernatant

克隆 单克隆

克隆编号 EPR2898(2)

同种型 lgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab108348于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/10000 - 1/50000. Predicted molecular weight: 38 kDa.
ICC/IF		1/100.


应用说明

Is unsuitable for Flow Cyt or IHC-P.


靶标

功能	Binds to various kinds of negatively charged substances such as heparin, phospholipids, and dextran sulfate. May prevent activation of the intrinsic blood coagulation cascade by binding to phospholipids on the surface of damaged cells.	
组织 特异性	Expressed by the liver and secreted in plasma.	
序列相似性	Contains 4 Sushi (CCP/SCR) domains.	
翻译后修饰	N- and O-glycosylated. PubMed:6587378 also reports glycosylation on 'Asn-188' for their allele.	
细胞定位	Secreted.	

图片



Immunocytochemistry/ Immunofluorescence - Anti-Apo-H antibody [EPR2898(2)] (ab108348) Immunofluorescent staining of HepG2 cells using ab108348 at a dilution of 1/100.



All lanes : Anti-Apo-H antibody [EPR2898(2)] (ab108348) at 1/10000 dilution

Lane 1: Human fetal liver lysate


Lane 2: Human plasma lysate

Lane 3: Human fetal kidney lysate

Lane 4: HDL lysate

Lysates/proteins at 10 µg per lane.

Predicted band size: 38 kDa



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors