abcam

Product datasheet

Anti-Bacillus cereus antibody ab 20556

★★★★★ 2 Abreviews 3 References

概述

产品名称 Anti-Bacillus cereus抗体

描述 兔多克隆抗体to Bacillus cereus

宿主 Rabbit

特异性 Reacts with spores and vegetative cells of Bacillus cereus and Bacillus subtilis. Antiserum is

unabsorbed and may cross-react with other Bacillus species.

经测试应用 适用于: ICC/IF

种属反应性 与反应: Bacillus subtilis, Bacillus cereus

免疫原 Tissue, cells or virus corresponding to Bacillus cereus. Purified spores of Bacillus cereus (ATCC

11778) and Bacillus subtilis (ATCC 9372).

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

存储溶液 Preservative: 0.1% Sodium azide

Constituent: 0.0268% PBS

纯**度** Protein A purified

应用

The Abpromise guarantee Abpromise™承诺保证使用ab20556于以下的经测试应用

1

"应用说明"部分 下显示的仅为推荐的起始稀释度:实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ICC/IF	**** <u>(1)</u>	Use at an assay dependent dilution.

靶标

相关性 Bacillus cereus is a Gram-positive, facultatively aerobic sporeformer whose cells are large rods

and whose spores do not swell the sporangium. These and other characteristics, including biochemical features, are used to differentiate and confirm the presence B. cereus, although these characteristics are shared with B. cereus var. mycoides, B. thuringiensis and B. anthracis. Differentiation of these organisms depends upon determination of motility (most B. cereus are motile), presence of toxin crystals (B. thuringiensis), hemolytic activity (B. cereus and others are beta hemolytic whereas B. anthracis is usually nonhemolytic), and rhizoid growth which is characteristic of B. cereus var. mycoides.

细**胞定位** Bacterial spore

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors