# abcam

## **Product datasheet**

# Biotin Anti-Candida albicans antibody ab20005

### 2 References

概述		
产品名称	生物素Anti-Candida albicans抗体	
描述	生物素兔多克隆抗体to Candida albicans	
宿主	Rabbit	
<b>偶</b> 联物	Biotin	
经测试应 <b>用</b>	适用于: IHC-P, ELISA, ICC/IF, Cellular Activation, Double Immunodiffusion	
<b>种属反</b> 应性	与反应: Candida albicans	
免疫原	Tissue, cells or virus corresponding to Candida albicans. Candida albicans, type A.	
<b>常</b> 规说 <b>明</b>	The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.	
	If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As	
性能		
性能 形式	Liquid	
	Liquid Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle.	
形式	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze /	
形 <b>式</b> 存 <b>放</b> 说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle. Preservative: 0.1% Sodium azide	
形式 存放说明 存储溶液	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle. Preservative: 0.1% Sodium azide Constituent: 0.0268% PBS	
<b>形式</b> 存放说明 存储溶液 纯度	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle. Preservative: 0.1% Sodium azide Constituent: 0.0268% PBS IgG fraction IgG fraction covalently coupled with the N-Hydroxysuccinimide ester of biotin number mild	

#### Abpromise™承诺保证使用ab20005于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-P		Use at an assay dependent dilution.
ELISA		Use at an assay dependent dilution.
ICC/IF		Use at an assay dependent dilution.
Cellular Activation		Use at an assay dependent dilution.
Double Immunodiffusion		Use at an assay dependent dilution.

靶	标

#### 相关性

Candida albicans is the most frequently isolated fungal pathogen of humans, affecting immunocompromised patients ranging from premature infants to AIDS sufferers. Systemic infections have an attributed mortality of 30-50%. C. albicans is a diploid organism which has eight sets of homologous chromosomes. It has a genome of approximately 16 Mb (haploid), about 30% greater than S. cerevisiae (baker's yeast).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.cn/abpromise</u> or contact our technical team.

#### **Terms and conditions**

Guarantee only valid for products bought direct from Abcam or one of our authorized distributors