

### Biotin Anti-CD11b + CD11c antibody [OX42] ab33827

[7 References](#) [1 图像](#)

#### 概述

<b>产品名称</b>	生物素Anti-CD11b + CD11c抗体[OX42]
<b>描述</b>	生物素小鼠单克隆抗体[OX42] to CD11b + CD11c
<b>宿主</b>	Mouse
<b>偶联物</b>	Biotin
<b>经测试应用</b>	<b>适用于:</b> Flow Cyt
<b>种属反应性</b>	<b>与反应:</b> Rat
<b>免疫原</b>	Tissue, cells or virus corresponding to Rat CD11b. Resident peritoneal macrophages from (PVG.RT1[c] x PVG.RT1[u]) and (PVG.RT1[c] x PVG.RT1[a]) F1-hybrid rat.
<b>阳性对照</b>	Rat peritoneal macrophages
<b>常规说明</b>	<p>ab33827 recognises CD11b + CD11c expressed on most macrophages, including resident and activated peritoneal macrophages, Kupffer cells, around 35% of alveolar macrophages, dendritic cells, granulocytes and microglial cells in the brain.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 性能

<b>形式</b>	Liquid
<b>存放说明</b>	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle.
<b>存储溶液</b>	pH: 7.20 Preservative: 0.09% Sodium azide Constituents: PBS, 1% BSA
<b>纯度</b>	Protein G purified
<b>Primary antibody说明</b>	ab33827 recognises CD11b expressed on most macrophages, including resident and activated peritoneal macrophages, Kupffer cells, around 35% of alveolar macrophages, dendritic cells,

granulocytes and microglial cells in the brain.

克隆 单克隆  
克隆编号 OX42  
同种型 IgG2b

## 应用

**The Abpromise guarantee** **Abpromise™**承诺保证使用ab33827于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt		Use 10µl for 10 <sup>6</sup> cells. Use neat - 1/10. Use 10µl of the suggested working dilution to label 10 <sup>6</sup> cells in 100µl.

## 靶标

细胞定位 CD11b: Membrane. CD11c: Membrane.

## 图片



FACS analysis of rat peritoneal macrophages using ab33827.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## **Our Abpromise to you: Quality guaranteed and expert technical support**

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

## **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors