# abcam

# Product datasheet

# Biotin Anti-CSF-1-R antibody [12-3A3-1B10] ab95730

# 1 图像

概述

产**品名称** 生物素Anti-CSF-1-R抗体[12-3A3-1B10]

**描述** 生物素大鼠单克隆抗体[12-3A3-1B10] to CSF-1-R

宿主 Rat Biotin

经测试应用适用于: Flow Cyt种属反应性与反应: Human

免疫原 Tissue, cells or virus corresponding to Human CSF-1-R. Helper free retrovirus containing human

c-fms gene.

阳性对照 Flow Cyt: Normal human peripheral blood cells.

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

**存放说明** Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze /

thaw cycle.

**存储溶液** pH: 7.20

Preservative: 0.09% Sodium azide

Constituents: 0.87% Sodium chloride, PBS

纯**度** Protein G purified

**克隆** 单克隆

**克隆编号** 12-3A3-1B10

同种型 lgG1

1

# The Abpromise guarantee Abpromise™承诺保证使用ab95730于以下的经测试应用


"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt		Use 0.06µg for 10 <sup>5-8</sup> cells. (based on a final test volume of 100 µl).  ab18403 - Rat monoclonal lgG1, is suitable for use as an isotype control with this antibody.

# 靶标

功能	Protein tyrosine-kinase transmembrane receptor for CSF1 and IL34.	
组织 <b>特异性</b>	Expressed in bone marrow and in differentiated blood mononuclear cells.	
序列相似性	Belongs to the protein kinase superfamily. Tyr protein kinase family. CSF-1/PDGF receptor subfamily.  Contains 5 lg-like C2-type (immunoglobulin-like) domains.  Contains 1 protein kinase domain.	
细胞定位	Membrane.	

#### 图片



Flow Cytometry - Biotin Anti-CSF-1-R antibody [12-3A3-1B10] (ab95730)

Staining of normal human peripheral blood cells with 0.5  $\mu$ g of lsotype Control Biotin (open histogram) or 0.5  $\mu$ g of ab95730 (filled histogram).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

# Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

• We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.cn/abpromise">https://www.abcam.cn/abpromise</a> or contact our technical team.

# Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors