abcam

Product datasheet

Biotin Anti-E. coli O + E. coli K antibody ab20765

概述

产品名称 生物素Anti-E. coli O + E. coli K抗体

描述 生物素山羊多克隆抗体to E. coli O + E. coli K

宿主 Goat 偶联物 Biotin

经测试应用 适用于: ICC/IF

种属反应性 与反应: Escherichia coli

免疫原 Tissue, cells or virus corresponding to Escherichia coli E. coli O + E. coli K. Mixture of E. coli

serotypes

常规说明 The antibody consists of purified antibody covalently coupled with the N-Hydroxysuccinimide ester

of biotin under mild conditions to give a high degree of substitution.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze /

thaw cycle.

存储溶液 Preservative: 0.1% Sodium azide

Constituent: 0.0268% PBS

纯**度** lgG fraction

克隆 多克隆

同种型 IgG

应用

1

The Abpromise guarantee

Abpromise™承诺保证使用ab20765于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ICC/IF		

应用说明

Avidin and streptavidin amplification systems for IF: Use at an assay dependent dilution.

Not tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

靶标

相关性

Escherichia coli (E. coli) are Gram negative enteric bacteria that live in the human gut. Its presence in nature is an indication of human feacal pollution. E. coli also causes human disease such as urinary tract infections and neonatal meningitis. Infection with particular enterotoxigenic strains can lead to life threatening intestinal diseases. E. coli are distinguished immunologically by serotyping based on three types of antigen: the somatic or O antigen which corresponds to terminal sugars on the cell surface lipopolysaccharide, the capsular or K antigens and the flagellar or H antigens.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors