

### Biotin Anti-HLA Class I antibody [W6/32] ab110665

[4 References](#) [2 图像](#)

#### 概述

产品名称	生物素Anti-HLA Class I抗体[W6/32]
描述	生物素小鼠单克隆抗体[W6/32] to HLA Class I
宿主	Mouse
偶联物	Biotin
经测试应用	适用于: Flow Cyt
种属反应性	与反应: Cow, Cat, Human, Non human primates 不与反应: Rabbit
免疫原	Tissue, cells or virus corresponding to Human HLA Class I. Membrane of human tonsil cells
常规说明	Suitable as a positive control for HLA tissue typing and crossmatching.  The purified antibody (>95% by SDS-PAGE) is conjugated with Biotin-LC-NHS under optimum conditions. The reagent is free of unconjugated biotin.  The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.  If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

#### 性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle.
存储溶液	pH: 7.40 Preservative: 0.1% Sodium azide Constituent: PBS
纯度	Size exclusion
Primary antibody说明	Suitable as a positive control for HLA tissue typing and crossmatching.
克隆	单克隆

克隆编号

W6/32

同种型

IgG2a

应用

The Abpromise guarantee

Abpromise™承诺保证使用ab110665于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt		Use a concentration of 1 - 12 µg/ml.

靶标


相关性

HLA CClass I is involved in the presentation of foreign antigens to the immune system.


细胞定位

Plasma membrane

图片



Flow cytometry surface staining pattern of human peripheral whole blood stained using ab110665 at 4 µg/ml.



Separation of human leukocytes (red-filled) from HLA Class I negative blood debris (black-dashed) in flow cytometry analysis (surface staining) of human peripheral whole blood using ab110665 at 4 µg/ml.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors