abcam

Product datasheet

Anti-BOB1 antibody [EPR3299] ab92315



重组 RabMAb

1 References 2 图像

概述

产品名称 Anti-BOB1抗体[EPR3299]

描述 兔单克隆抗体[EPR3299] to BOB1

宿主 Rabbit

经测试应用 适用于: WB

不适用于: ICC/IF or IHC-P

种属反应性 与反应: Human

免疫原 Synthetic peptide within Human BOB1 aa 50-150. The exact sequence is proprietary.

阳性对照 Ramos, Daudi, NAMALWA or Raji nuclear lysate

常规说明 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with

these species. Please contact us for more information.

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.

存储溶液

Preservative: 0.05% Sodium azide

Constituents: 0.1% BSA, 40% Glycerol (glycerin, glycerine), 9.85% Tris glycine, 50% Tissue

culture supernatant

纯度 Protein A purified

克隆 单克隆

克隆编号 EPR3299

同种型 IgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab92315于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/2000 - 1/10000. Predicted molecular weight: 28 kDa.

应用说明 Is unsuitable for ICC/IF or IHC-P.

靶标

功能
Transcriptional coactivator that specifically associates with either OCT1 or OCT2. It boosts the OCT1 mediated promoter activity and to a lesser extent, that of OCT2. It has no intrinsic DNA-binding activity. It recognizes the POU domains of OCT1 and OCT2. It is essential for the

response of B-cells to antigens and required for the formation of germinal centers.

组织**特异性** B-cell specific.

疾病相关 Note=A chromosomal aberration involving POU2AF1/OBF1 may be a cause of a form of B-cell

leukemia. Translocation t(3;11)(q27;q23) with BCL6.

序列相似性 Belongs to the POU2AF1 family.


翻译后修饰 Ubiquitinated; mediated by SIAH1 or SIAH2 and leading to its subsequent proteasomal

degradation.

细胞定位 Nucleus.

图片

(ab92315)



All lanes : Anti-BOB1 antibody [EPR3299] (ab92315) at 1/2000

dilution

Lane 1 : Ramos cell lysate

Lane 2 : Daudi cell lysate

Lane 3: NAMALWA cell lysate


Lane 4: Raji cell lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes: HRP labelled goat anti-rabbit at 1/2000 dilution

Predicted band size: 28 kDa



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

. Guarantee only valid for products bought direct from Abcam or one of our authorized distributors