# abcam

## Product datasheet

## Anti-C4d antibody ab36075

★★★★★ <u>5 Abreviews</u> <u>6 References</u> 2 图像

#### 概述

产品名称 Anti-C4d抗体

描述 兔多克隆抗体to C4d

**宿主** Rabbit

特异性 Recognizes C4d-A and C4d-B.

 经测试应用
 适用于: IHC-P

 种属反应性
 与反应: Human

免疫原 Synthetic peptide corresponding to Human C4d aa 1223-1237 (C terminal) conjugated to keyhole

limpet haemocyanin. Region 100% conserved in C4d-B (Uniprot: P0C0L5)

Sequence:

ETGDNLYWGSVTGSQ

Database link: P0C0L4

Run BLAST with
Run BLAST with

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

**存储溶液** pH: 7.20

Constituents: 99% PBS, 0.1% Proclin 300

纯**度** Protein G purified

1

#### The Abpromise guarantee

#### Abpromise™承诺保证使用ab36075于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度:实际最佳的稀释度/浓度应由使用者检定。

应 <b>用</b>	Ab评论	说明
IHC-P	**** <u>(2)</u>	1/20 - 1/80. Antigen retrieval with a citrate buffer system (or equivalent) is recommended.

	_	٠.		
371	П	Н	ы	=
200	_	Λ	Po	ĸ

功能

C4 plays a central role in the activation of the classical pathway of the complement system. It is processed by activated C1 which removes from the alpha chain the C4a anaphylatoxin. The remaining alpha chain fragment C4b is the major activation product and is an essential subunit of the C3 convertase (C4b2a) and the C5 convertase (C3bC4b2a) enzymes of the classical complement pathway.

Derived from proteolytic degradation of complement C4, C4a anaphylatoxin is a mediator of local inflammatory process. It induces the contraction of smooth muscle, increases vascular permeability and causes histamine release from mast cells and basophilic leukocytes.

疾病相关

Defects in C4A are the cause of complement component 4A deficiency (C4AD) [MIM:120810]. A rare defect of the complement classical pathway associated with the development of autoimmune disorders, mainly systemic lupus with or without associated glomerulonephritis.

序列相似性

Contains 1 anaphylatoxin-like domain.

Contains 1 NTR domain.

翻译后修饰


Prior to secretion, the single-chain precursor is enzymatically cleaved to yield the non-identical chains (alpha, beta and gamma). During activation, the alpha chain is cleaved by C1 into C4a and C4b, and C4b stays linked to the beta and gamma chains. Further degradation of C4b by C1 into the inactive fragments C4c and C4d blocks the generation of C3 convertase.

N- and O-glycosylated. O-glycosylated with a core 1 or possibly core 8 glycan.

Secreted.


细胞定位

图片



Immunohostochemical analysis of C4d expression in paraffin embedded formalin fixed human glomerular mesangial tissue, using 1/40 ab36075. Staining developed using high sensitivity Avidin/Biotin detection system.

Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-C4d antibody (ab36075)



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-C4d antibody (ab36075)

This image is courtesy of an Abreview submitted by Ronald Houston.

Ab36075 staining C4d in Human kidney tissue sections by Immunohistochemistry (IHC-P- paraformaldehyde-fixed, paraffin embedded sections). Tissue was fixed with formaldehyde and heat mediated antigen retrieval was performed at 100°C with citrate for 20 minutes. Primary antibody was incubated at 1/80 dilution for 20 minutes at 25°C. A HRP conjugated anti-mouse IgG was used as a secondary antibody.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.cn/abpromise">https://www.abcam.cn/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors