abcam

Product datasheet

Anti-CD130 (gp130) antibody [B-P8] - BSA and Azide free ab27355

1 References 1 图像

概述

产品名称 Anti-CD130 (gp130)抗体[B-P8] - BSA and Azide free

抽述 小鼠单克隆抗体[B-P8] to CD130 (gp130) - BSA and Azide free

宿主 Mouse

特异性 Recognises the Gp130, common subunit for IL-6, IL-11, OSM, LIF, CNTF, CT-1 receptors, a 130-

140 kDa protein. Inhibits CNTF activity and binding to gp130. Induces gp130 activation, Jak 1,

Jak 2, Stat 1 and Stat 3 phosphorylation.

 经测试应用
 适用于: Flow Cyt

 种属反应性
 与反应: Human

免疫原 Full length native protein (purified). This information is proprietary to Abcam and/or its suppliers.

阳性对照 Flow cyt: Eahy 926 cells.

常规说明 This product was changed from ascites to tissue culture supernatant on 4th April 2019. Please

note that the dilutions may need to be adjusted accordingly. If you have any questions, please do

not hesitate to contact our scientific support team.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

存储溶液 pH: 7.30

Constituent: 100% PBS

Sterile-filtered through 0.22 µm. Carrier and preservative free

1

无载体 是

纯度 Tissue culture supernatant

克隆 单**克隆** B-P8

骨髓瘤 x63-Ag8.653

同种型 lgG1 轻链类型 kappa

应用

克隆编号


Abpromise™承诺保证使用ab27355于以下的经测试应用 The Abpromise guarantee

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt		Use at an assay dependent concentration. ab170190 - Mouse monoclonal lgG1, is suitable for use as an isotype control with this antibody.

靶 标	
功能	Signal-transducing molecule. The receptor systems for IL6, LIF, OSM, CNTF, IL11, CTF1 and BSF3 can utilize gp130 for initiating signal transmission. Binds to IL6/IL6R (alpha chain) complex, resulting in the formation of high-affinity IL6 binding sites, and transduces the signal. Does not bind IL6. May have a role in embryonic development (By similarity). The type I OSM receptor is capable of transducing OSM-specific signaling events.
组织 特异性	Found in all the tissues and cell lines examined. Expression not restricted to IL6 responsive cells.
序列相似性	Belongs to the type I cytokine receptor family. Type 2 subfamily. Contains 5 fibronectin type-Ill domains. Contains 1 lg-like C2-type (immunoglobulin-like) domain.
结 构域	The WSXWS motif appears to be necessary for proper protein folding and thereby efficient intracellular transport and cell-surface receptor binding. The box 1 motif is required for JAK interaction and/or activation.
翻译后修饰	Phosphorylation of Ser-782 down-regulates cell surface expression. Heavily N-glycosylated.
细胞定位	Secreted and Cell membrane.

图片



Flow Cytometry - Anti-CD130 (gp130) antibody [B-P8] (ab27355)

ab27355, staining CD130 (gp130) of Eahy 926 cell line by Flow Cytometry.

This image was generated using the ascites version of the product.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors