

# Anti-CD1d antibody [1B1] ab95734

**2 References**   [1 图像](#)

### 概述

产品名称	Anti-CD1d抗体[1B1]
描述	大鼠单克隆抗体[1B1] to CD1d
宿主	Rat
特异性	ab95734 detects $\beta$ 2-m associated CD1d
经测试应用	适用于: Flow Cyt
种属反应性	与反应: Mouse
免疫原	Tissue, cells or virus corresponding to Mouse CD1d. Mouse C57Bl/6 thymocytes
阳性对照	Mouse splenocyte suspensions
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

### 性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle.
存储溶液	<p>pH: 7.20</p> <p>Preservative: 0.09% Sodium azide</p> <p>Constituents: 0.87% Sodium chloride, PBS</p>
纯度	Protein G purified
克隆	单克隆
克隆编号	1B1
同种型	IgG2b
轻链类型	kappa

## 应用

### The Abpromise guarantee

**Abpromise™** 承诺保证使用 ab95734 于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab 评论	说明
Flow Cyt		Use 1 µg for 10 <sup>5-8</sup> cells. in a final volume of 100 µL  <b>ab18536</b> - Rat monoclonal IgG2b, is suitable for use as an isotype control with this antibody.

## 靶标

功能	Antigen-presenting protein that binds self and non-self glycolipids and presents them to T-cell receptors on natural killer T-cells.
组织特异性	Expressed on cortical thymocytes, on certain T-cell leukemias, and in various other tissues.
序列相似性	Contains 1 Ig-like (immunoglobulin-like) domain.
细胞定位	Cell membrane. Endosome membrane. Lysosome membrane. Subject to intracellular trafficking between the cell membrane, endosomes and lysosomes.

## 图片



Flow Cytometry - Anti-CD1d antibody [1B1]  
(ab95734)

ab95734 at 1 µg per test staining BALB/c splenocytes (filled histogram) by Flow Cytometry. The control utilised 1.0 µg of Rat IgG2b Isotype Control (open histogram).

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

#### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors