abcam

Product datasheet

Anti-CD22 (phospho Y807) antibody [Y505] ab32040



重组 RabMAb

1 References 2 图像

概述

产品名称 Anti-CD22 (phospho Y807)抗体[Y505]

描述 兔单克隆抗体[Y505] to CD22 (phospho Y807)

宿主 Rabbit

适用于: WB 经测试应用

不适用于: Flow Cyt,IHC or IP

种属反应性 与反应: Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

常规说明 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb patents**.

Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with

these species. Please contact us for more information.

性能

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

存储溶液 pH: 7.20

Preservative: 0.01% Sodium azide

Constituents: 49% PBS, 50% Glycerol (glycerin, glycerine), 0.05% BSA

纯度 Protein A purified

克隆 单克隆 克隆编号 Y505 同种型 ΙgG

The Abpromise guarantee

Abpromise™承诺保证使用ab32040于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度:实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/2000. Detects a band of approximately 150 kDa (predicted molecular weight: 95 kDa).

应用说明

Is unsuitable for Flow Cyt,IHC or IP.

靶标

功能

Mediates B-cell B-cell interactions. May be involved in the localization of B-cells in lymphoid tissues. Binds sialylated glycoproteins; one of which is CD45. Preferentially binds to alpha-2,6-linked sialic acid. The sialic acid recognition site can be masked by cis interactions with sialic acids on the same cell surface. Upon ligand induced tyrosine phosphorylation in the immune response seems to be involved in regulation of B-cell antigen receptor signaling. Plays a role in positive regulation through interaction with Src family tyrosine kinases and may also act as an inhibitory receptor by recruiting cytoplasmic phosphatases via their SH2 domains that block signal transduction through dephosphorylation of signaling molecules.

组织特异性

B-lymphocytes.

序列相似性

Belongs to the immunoglobulin superfamily. SIGLEC (sialic acid binding \lg -like lectin) family.

Contains 6 lg-like C2-type (immunoglobulin-like) domains. Contains 1 lg-like V-type (immunoglobulin-like) domain.

结构域

Contains 4 copies of a cytoplasmic motif that is referred to as the immunoreceptor tyrosine-based

inhibitor motif (ITIM). This motif is involved in modulation of cellular responses. The

phosphorylated ITIM motif can bind the SH2 domain of several SH2-containing phosphatases.

翻译后修饰

 $Phosphorylation of Tyr-762, Tyr-807 \ and \ Tyr-822 \ are involved in binding to SYK, GRB2 \ and SYK,$

respectively. Phosphorylation of Tyr-842 is involved in binding to SYK, PLCG2 and


PIK3R1/PIK3R2.

Phosphorylated on tyrosine residues by LYN.

细胞定位

Cell membrane.

图片



Western blot - Anti-CD22 (phospho Y807) antibody [Y505] (ab32040)

All lanes : Anti-CD22 (phospho Y807) antibody [Y505] (ab32040) at 1/10000 dilution

Lane 1 : Jurkat (Human T cell leukemia T lymphocyte) whole cell lysate

Lane 2: Jurkat (Human T cell leukemia T lymphocyte) treated with 10mM Pervanadate for 30 min whole cell lysate 15 µg.

Lane 3: Jurkat (Human T cell leukemia T lymphocyte) treated with 10mM Pervanadate for 30 min whole cell lysate, then the membrane was incubated with alkaline phosphatase for 1 hour

Lysates/proteins at 15 µg per lane.


Secondary

All lanes : Goat Anti-Rabbit IgG H&L (HRP) (<u>ab97051</u>) at 1/20000 dilution

Predicted band size: 95 kDa **Observed band size:** 150 kDa

Exposure time: 40 seconds

Blocking and diluting buffer and concentration: 5% NFDM/TBST



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors