

Anti-CD63 antibody [AD1] ab108950

30 References **1 图像**

概述

产品名称	Anti-CD63抗体[AD1]
描述	小鼠单克隆抗体[AD1] to CD63
宿主	Mouse
特异性	Rat CD63 is expressed on mast cells, and studies using clone AD1, have shown that it is located near to FcER1, and that clone AD1 partially inhibits IgE-mediated histamine release
经测试应用	适用于: Flow Cyt
种属反应性	与反应: Rat
免疫原	Tissue, cells or virus corresponding to CD63. RBL-2H3 rat basophilic leukaemia cell line
阳性对照	Flow Cytometry: Rat peripheral blood platelets.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
存储溶液	Preservative: 0.09% Sodium azide Constituent: PBS
纯度	Protein A purified
纯化说明	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant.
克隆	单克隆
克隆编号	AD1
骨髓瘤	x63-Ag8.653
同种型	IgG1

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab108950于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt		1/10 - 1/200. ab170190 - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.

靶标

功能	This antigen is associated with early stages of melanoma tumor progression. May play a role in growth regulation.
组织特异性	Dysplastic nevi, radial growth phase primary melanomas, hematopoietic cells, tissue macrophages.
序列相似性	Belongs to the tetraspanin (TM4SF) family.
细胞定位	Cell membrane. Lysosome membrane. Late endosome membrane. Also found in Weibel-Palade bodies of endothelial cells. Located in platelet dense granules.

图片



Rat peripheral blood platelets stained with AlexaFluor®488 conjugated version of ab108950.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors