abcam

Product datasheet

Anti-CD99 antibody [EPR3096] ab108297



重组 RabMAb

5 References 9图像

概述

产品名称 Anti-CD99抗体[EPR3096]

描述 兔单克隆抗体[EPR3096] to CD99

宿主 Rabbit

经测试应用 适用于: WB, IP, IHC-P, Flow Cyt, ICC/IF

种属反应性 与反应: Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

阳性对照 WB: THP-1, Jurkat, U937, Molt-4, HuT-78, and HUVEC cell lysates. IHC: Human pancreas,

Human tonsil and Human uterus tissues IP: HUVEC cells. ICC/IF: Jurkat cells. Flow Cyt: Molt-4

cells.

常规说明 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with

these species. Please contact us for more information.

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Stable for 12 months at -20°C.

存储溶液 pH: 7.20

Preservative: 0.01% Sodium azide

Constituents: 0.31% Sodium citrate, 0.175% Sodium chloride, 0.0172% EDTA disodium salt,

59% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

纯度 Protein A purified

克隆 单克隆

克隆编号 EPR3096

同种型 IgG

应用

The Abpromise guarantee Abpromise™承诺保证使用ab108297于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/1000 - 1/10000. Detects a band of approximately 28, 32 kDa (predicted molecular weight: 19 kDa).
IP		1/10 - 1/100.
IHC-P		1/250 - 1/500. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. Perform antigen retrieval before commencing with IHC staining protocol.
Flow Cyt		1/10 - 1/100. ab172730 - Rabbit monoclonal lgG, is suitable for use as an isotype control with this antibody.
ICC/IF		1/250 - 1/500.

靶标


功能 Involved in T-cell adhesion processes. It is involved in spontaneous rosette formation with

erythrocytes.

序列相似性 Belongs to the CD99 family. 翻译后修饰 Extensively O-glycosylated.

细胞定位 Membrane.

图片



Western blot - Anti-CD99 antibody [EPR3096] (ab108297)


All lanes : Anti-CD99 antibody [EPR3096] (ab108297) at 1/1000 dilution

Lane 1 : THP-1 cell lysate
Lane 2 : Jurkat cell lysate
Lane 3 : U937 cell lysate
Lane 4 : Molt-4 cell lysate

Lane 5 : HuT-78 cell lysate
Lane 6 : HUVEC cell lysate

Lysates/proteins at 10 µg per lane.

Predicted band size: 19 kDa **Observed band size:** 28,32 kDa



Immunocytochemistry/ Immunofluorescence - Anti-CD99 antibody [EPR3096] (ab108297)


Immunocytochemistry/Immunofluorescence analysis of Jurkat (Human T cell leukemia cell line from peripheral blood) labelling CD99 with purified ab108297 at 1/500. Cells were fixed with 4% PFA and permeabilized with 0.1% triton X-100. ab150077 Goat anti rabbit IgG (Alexa Fluor[®] 488) at 1/1000 was used as the secondary antibody. Nuclei were counterstained with DAPI. PBS was used instead of the primary antibody as the negative control.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-CD99 antibody
[EPR3096] (ab108297)


Immunohistochemical staining of paraffin-embedded Human pancreas tissue using ab108297 at a dilution of 1/250.

Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Flow Cytometry - Anti-CD99 antibody [EPR3096] (ab108297)


Flow cytometric analysis of Molt-4 cells using anti-CD99 RabMAb (red) (ab108297) or a rabbit IgG (negative) (green).



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-CD99 antibody
[EPR3096] (ab108297)

Fluorescent immunohistochemical analysis of paraffin-embedded human normal pancreas tissue using ab108297. Green-CD99 red-PI

Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-CD99 antibody
[EPR3096] (ab108297)

Immunohistochemical staining of paraffin-embedded Human tonsil tissue using ab108297 at a dilution of 1/250.


Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-CD99 antibody
[EPR3096] (ab108297)

Immunohistochemical staining of paraffin-embedded Human uterus tissue using ab108297 at a dilution of 1/250.

Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Immunoprecipitation - Anti-CD99 antibody [EPR3096] (ab108297)

CD99 was immunoprecipitated from 0.35 mg HUVEC (Human umbilical vein endothelial cell) whole cell lysate 10 μ g with 108297 at 1/50 dilution (2 μ g). VeriBlot for IP Detection Reagent (HRP) (ab131366) was used at 1/5000 dilution.


Lane 1: HUVEC (Human umbilical vein endothelial cell) whole cell lysate 10 µg

Lane 2: ab108297 IP in HUVEC whole cell lysate

Lane 3: Rabbit monoclonal IgG (<u>ab172730</u>) instead of ab108297 in HUVEC whole cell lysate

Blocking and dilution buffer and concentration: 5% NFDM/TBST.

CD99 homodimer was reported in literature. (PMID:18160845)



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors