

Anti-CDK1 + CDK2 + CDK3 + CDK5 antibody [E53] ab32030

重组 RabMAb

★★★★★ 1 Abreviews 1 References 4 图像

概述

产品名称	Anti-CDK1 + CDK2 + CDK3 + CDK5抗体[E53]
描述	兔单克隆抗体[E53] to CDK1 + CDK2 + CDK3 + CDK5
宿主	Rabbit
经测试应用	适用于: WB 不适用于: Flow Cyt or IHC
种属反应性	与反应: Human
免疫原	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
阳性对照	WB: Hela cell lysate.
常规说明	<p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none">- High batch-to-batch consistency and reproducibility- Improved sensitivity and specificity- Long-term security of supply- Animal-free production <p>For more information see here.</p> <p>Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents.</p> <p>Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with these species. Please contact us for more information.</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
存储溶液	pH: 7.20 Preservative: 0.01% Sodium azide Constituents: 49% PBS, 50% Glycerol (glycerin, glycerine), 0.05% BSA
纯度	Protein A purified
克隆	单克隆
克隆编号	E53

同种型IgG

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab32030于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/2000 - 1/10000. Detects a band of approximately 35 kDa (predicted molecular weight: 34 kDa).


应用说明 Is unsuitable for Flow Cyt or IHC.

靶标

细胞定位 CDK1: Nucleus. CDK5: Cytoplasm. Cell projection > lamellipodium. Cell projection > growth cone. In axonal growth cone with extension to the peripheral lamellipodia.

形式 CDK1: CDK1 can be located to the Nucleus, cytoplasm and Mithocondria. It's cytoplasmic during interphase and reversibly translocated from cytoplasm to the nucleus when phosphorylated before G2-M transition when associated with cyclin-B1. Accumulates in mitochondria in G2-arrested cells upon DNA-damage.

图片



All lanes : Anti-CDK1 + CDK2 + CDK3 + CDK5 antibody [E53] (ab32030) at 1/10000 dilution

Lane 1 : Empty vector transfected 293T (human embryonic kidney) whole cell lysates

Lane 2 : CDK2-GFP transfected 293T (human embryonic kidney) whole cell lysates

Lane 3 : CDK3-GFP transfected 293T (human embryonic kidney) whole cell lysates

Lysates/proteins at 15 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit IgG H&L (HRP) (**ab97051**) at 1/20000 dilution

Predicted band size: 34 kDa


Observed band size: 62 kDa

Exposure time: 1 second

Blocking/Diluting buffer 5% NFDM/TBST

The endogenous CDK is detected at higher exposure.

We are not sure the bands around 35kDa. Perhaps they are degradation products.



All lanes : Anti-CDK1 + CDK2 + CDK3 + CDK5 antibody [E53] (ab32030) at 1/2000 dilution

Lane 1 : Empty vector transfected 293T (human embryonic kidney) whole cell lysates

Lane 2 : CDK1-GFP transfected 293T (human embryonic kidney) whole cell lysates

Lane 3 : CDK5-GFP transfected 293T (human embryonic kidney) whole cell lysates

Lysates/proteins at 15 µg per lane.

Secondary


All lanes : Goat Anti-Rabbit IgG H&L (HRP) ([ab97051](#)) at 1/20000 dilution

Predicted band size: 34 kDa

Exposure time: 15 seconds

Blocking/Diluting buffer 5% NFDM/TBST

34kDa band represents endogenous CDK, and 62kDa represents CDK-GFP.



Anti-CDK1 + CDK2 + CDK3 + CDK5 antibody [E53] (ab32030) at
1/5000 dilution + HeLa cell lysate

Predicted band size: 34 kDa

Observed band size: 35 kDa

Western blot - Anti-CDK1 + CDK2 + CDK3 + CDK5
antibody [E53] (ab32030)

Why choose a
recombinant antibody?



**Research with
confidence**
Consistent and
reproducible results



**Long-term and
scalable supply**
Recombinant
technology



**Success from the
first experiment**
Confirmed
specificity



**Ethical standards
compliant**
Animal-free
production

Anti-CDK1 + CDK2 + CDK3 + CDK5 antibody [E53]
(ab32030)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors