## abcam

### **Product datasheet**

# Anti-CDKN2A/p19ARF antibody [5-C3] - BSA and Azide free ab174939

#### 1 图**像**

概述

产 <b>品名称</b>	Anti-CDKN2A/p19ARF <b>抗体</b> [5-C3] - BSA and Azide free	
描述	<b>大鼠</b> 单 <b>克隆抗体</b> [5-C3] to CDKN2A/p19ARF - BSA and Azide free	
宿主	Rat	
经 <b>测</b> 试应 <b>用</b>	适用于: IHC-FoFr, WB, IP, ICC/IF	
<b>种属反应性</b>	与反应: Mouse 不与反应: Hamster, Human	
免疫原	Synthetic peptide corresponding to Mouse CDKN2A/p19ARF conjugated to keyhole limpet haemocyanin.	
<b>阳性</b> 对照	3T3 cell lystate positive control.	
<b>常</b> 规说 <b>明</b>	ab174939 is the carrier-free version of <u>ab26696</u> .	
	This antibody clone is manufactured by Abcam. If you require a custom buffer formulation or conjugation for your experiments, please contact <b>orders@abcam.com</b> .	
	Our <b><u>carrier-free</u></b> antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.	
	This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cell-based assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.	
	Use our <b><u>conjugation kits</u></b> for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.	
	This product is compatible with the Maxpar <sup>®</sup> Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar <sup>®</sup> is a trademark of Fluidigm Canada Inc.	
	The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.	
	If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be	

性能	
形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or - 80°C. Avoid freeze / thaw cycle.
存储溶液	pH: 7.40 Constituent: PBS
无载体	是
纯 <b>度</b>	lgG fraction
克隆	单 <b>克隆</b>
克隆编号	5-C3
骨髓瘤	Y3/Ag1.2.3
同种型	lgG2b

应用


The Abpromise guarantee

#### Abpromise™承诺保证使用ab174939于以下的经测试应用

#### "应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-FoFr		Use at an assay dependent concentration.
WB		Use a concentration of 1 $\mu g/ml.$ Predicted molecular weight: 17 kDa.
IP		Use at an assay dependent concentration.
ICC/IF		Use at an assay dependent concentration.

<b>靶</b> 标	
相关性	The gene for CDK2NA generates several transcripts/proteins which differ from each other in their first exons. Three of these transcripts are generated by alternative splicing (isoform 1 a.k.a p16INK4A, isoform 2 and isoform 3 a.k.a p12), two of which are known to function as inhibitors of CDK4 kinase. One other transcript that is generated from this gene contains an alternate reading frame (ARF), with the first exon located 20kb upstream of the remainder of the gene(isoform 4 a.k.a. p14ARF, p19ARF, ARF). In spite of the structural and some functional differences, all the proteins encoded by the CDKN2A gene are involved in cell cycle G1 control.
细 <b>胞定位</b>	Nuclear



This ICC/IF data was generated using the same antibody clone in a different buffer formulation (<u>ab26696</u>).

Immunofluorescent detection of p19ARF. MEF cells (1 and 2) or NIH3T3 cells with arf gene deleted (3 and 4) were stained with antip19ARF 5C3 followed by a fluorescent-labelled anti-rat IgG (1 and 3) and Hoechst dye to visualise nuclei (2 and 4).

Immunocytochemistry/ Immunofluorescence - Anti-CDKN2A/p19ARF antibody [5-C3] - BSA and Azide free (ab174939)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.cn/abpromise</u> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors