

Anti-CEACAM6 antibody [9A6] ab78029

★★★★★ [3 Abreviews](#) [9 References](#) [2 图像](#)

概述

产品名称	Anti-CEACAM6抗体[9A6]
描述	小鼠单克隆抗体[9A6] to CEACAM6
宿主	Mouse
经测试应用	适用于: ICC/IF, WB
种属反应性	与反应: Human
免疫原	Tissue, cells or virus corresponding to Human CEACAM6. Tumor cell line expressing CEACAM6
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle.
存储溶液	Preservative: 0.09% Sodium azide Constituents: 99.8% PBS, 0.1% BSA
纯度	Protein G purified
纯化说明	ab78029 is purified.
克隆	单克隆
克隆编号	9A6
同种型	IgG1

应用

The Abpromise guarantee

Abpromise™ 承诺保证使用ab78029于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
ICC/IF		1/100 - 1/200.
WB	★★★★★ (1)	1/500. Predicted molecular weight: 37 kDa.

靶标


序列相似性

Belongs to the immunoglobulin superfamily. CEA family.
Contains 2 Ig-like C2-type (immunoglobulin-like) domains.
Contains 1 Ig-like V-type (immunoglobulin-like) domain.


细胞定位

Cell membrane.

图片



Immunofluorescence of THP-1 cells with (A) mouse IgG1, κ isotype control (Negative) or (B-D) CEACAM6 primary antibody (ab78029). Alexa Fluor® 488 (Green) Goat anti-Mouse IgG was used as secondary antibody. Nuclei were counterstained with DAPI. The image was captured with a 60X objective using KEYENCE BZ-X700 fluorescence microscope. Exposure time (Seconds) for (A) is 1/12, and (B-D) is 1/15. Concentrations for (A, B) is 1/100, (C) is 1/200 and (D) is 1:500.



All lanes : Anti-CEACAM6 antibody [9A6] (ab78029) at 1/500 dilution

Lane 1 : HeLa

Lane 2 : THP-1

Lane 3 : HL-60 (Low expression negative control)

Lysates/proteins at 15 µg per lane.

Secondary

All lanes : HRP Goat anti-Mouse

Predicted band size: 37 kDa

HRP anti- β -actin was used as a loading control 1:8000

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors