


# Anti-Chromodomain helicase DNA binding protein 9 antibody ab114115

[1 References](#) [2 图像](#)

### 概述

产品名称	Anti-Chromodomain helicase DNA binding蛋白9抗体
描述	兔多克隆抗体to Chromodomain helicase DNA binding蛋白9
宿主	Rabbit
经测试应用	适用于: WB, IP
种属反应性	与反应: Human 预测可用于: Mouse, Rat, Rabbit, Horse, Chicken, Cow, Dog, Chimpanzee, Rhesus monkey, Orangutan, Elephant 
免疫原	Synthetic peptide corresponding to Human Chromodomain helicase DNA binding protein 9 aa 1-100. Database link: <a href="#">Q3L8U1</a>
阳性对照	HeLa and 293T whole cell lysates.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

### 性能

形式	Liquid
存放说明	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
存储溶液	pH: 7 Preservative: 0.09% Sodium azide Constituent: 99% Tris citrate/phosphate
纯度	pH 7-8 Immunogen affinity purified

## 纯化说明

ab114115 was affinity purified using an epitope specific to Chromodomain helicase DNA binding protein 9 immobilized on solid support.

## 克隆

多克隆

**同种型**

IgG

## 应用

## The Abpromise guarantee

**Abpromise™** 承诺保证使用ab114115于以下的经测试应用

“应用说明”部分下显示的仅为推荐的起始稀释度；实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
WB		1/1000 - 1/5000. Predicted molecular weight: 326 kDa.
IP		Use at 2-5 µg/mg of lysate.

## 靶标

## 细胞定位

## Cytoplasmic and Nuclear

图片



**All lanes :** Anti-Chromodomain helicase DNA binding protein 9 antibody (ab114115) at 0.4 µg/ml

**Lane 1 :** HeLa whole cell lysate at 50 µg

**Lane 2 :** HeLa whole cell lysate at 15  $\mu$ g


**Lane 3 :** HeLa whole cell lysate at 5  $\mu$ g

**Lane 4 :** 293T whole cell lysate at 50 µg

Developed using the ECL technique.

**Predicted band size:** 326 kDa

**Exposure time:** 30 seconds



Detection of Chromodomain helicase DNA binding protein 9 by Western Blot of Immunoprecipitate.

Lane 1: ab114115 at 1µg/ml staining Chromodomain helicase DNA binding protein 9 in HeLa whole cell lysate immunoprecipitated using ab114115 at 3µg/mg lysate (1 mg/IP; 20% of IP loaded/lane).

Lane 2: Control IgG

Detection: Chemiluminescence with exposure time of 30 seconds.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors