abcam

Product datasheet

Anti-CSDE1/NRU antibody ab96124

★★★★★ 1 Abreviews 3 References 4 图像

概述

产**品名称** Anti-CSDE1/NRU抗体

描述 兔多克隆抗体to CSDE1/NRU

宿主 Rabbit

经测试应用 适用于: WB, IHC-P, ICC/IF

种属反应性 与反应: Human

预测可用于: Mouse, Rat, Cow 4

免疫原 Recombinant fragment corresponding to Human CSDE1/NRU aa 167-372. (AAH32446)

阳性对照 HeLa whole cell lysate (<u>ab150035</u>); A549, HepG2 and HCT116 lysates

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquid

存放说明 Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

存储溶液 pH: 7.00

Preservative: 0.01% Thimerosal (merthiolate)

Constituents: 1.21% Tris, 0.75% Glycine, 20% Glycerol (glycerin, glycerine)

纯**度** Immunogen affinity purified

克隆 多克隆

同种型 lgG

应用

1

The Abpromise guarantee

Abpromise™承诺保证使用ab96124于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB		1/500 - 1/3000. Predicted molecular weight: 88 kDa.
IHC-P	★★★★☆ (1)	1/100 - 1/1000.
ICC/IF		1/100 - 1/1000.

靶标

功能 RNA-binding protein. Required for internal initiation of translation of human rhinovirus RNA. May


be involved in translationally coupled mRNA turnover. Implicated with other RNA-binding proteins in the cytoplasmic deadenylation/translational and decay interplay of the FOS mRNA mediated by

the major coding-region determinant of instability (mCRD) domain.

序列相似性 Contains 9 CSD (cold-shock) domains.

细胞定位 Cytoplasm.


图片



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-CSDE1/NRU antibody (ab96124)

Immunohistochemical analysis of paraffin-embedded MCF7 xenograft, using ab96124 at 1:250 dilution.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



Western blot - Anti-CSDE1/NRU antibody (ab96124)

All lanes: Anti-CSDE1/NRU antibody (ab96124) at 1/1000 dilution

Lane 1: 293T whole cell lysate
Lane 2: A431 whole cell lysate
Lane 3: HeLa whole cell lysate
Lane 4: A375 whole cell lysate

Lysates/proteins at 30 μg per lane.

Secondary


All lanes: The HRP-conjugated anti-rabbit lgG antibody

Predicted band size: 88 kDa



Immunocytochemistry/ Immunofluorescence - Anti-CSDE1/NRU antibody (ab96124)

Immunofluorescence analysis of methanol-fixed HeLa, using ab96124 antibody at 1:200 dilution. Costained with Hoechst 33342.



Anti-CSDE1/NRU antibody (ab96124) at 1/3000 dilution + HeLa whole cell lysate at 30 μg

Predicted band size: 88 kDa

7.5% SDS PAGE

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors